



UiPath Agent Builder Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT® Version 2.5 Rev)

Name of Product/Version: UiPath Agent Builder 2025.5.0

Report Date: May 20, 2025

Product Description: UiPath Agent Builder is an agent development tool in UiPath Studio that helps developers create, customize, evaluate, and deploy specialized enterprise agents that can understand context, make decisions, and execute complex processes.

Contact Information: Contact sales: <https://www.uipath.com/company/contact-us>

Notes: Specific user scenarios were tested to ensure critical user paths were included in the VPAT. All application content was not tested, but rather a crucial sampling of content was used for test cases.

Evaluation Methods Used: Software Test Process for WCAG 2.2 AA was used (based on Trusted Tester v5, WCAG 2.0 AA, WCAG 2.1 A-AA, WCAG 2.2 and Section 508 Software testing).

The following testing tools were used on a Windows 10 desktop and Chrome Browser: Accessibility Insights for Windows v1.1, Color Contrast Analyzer, NVDA v2024.1, Axe® accessibility testing tools: axe Auditor and the axe DevTools browser extension and external keyboard.

Testing was performed by Certified Professional in Accessibility Core Competencies from Deque.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 Report	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 – 602.3 Electronic Support Documentation

Notes: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<u>1.1.1 Non-text Content</u> (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The tour guide image is missing appropriate alternative text on the "Keep agent performing best" screen. The Activities list logo image is missing alternative text in the "Add tool modal" screen. The 'Tick mark icon, i.e., Metadata region' is coded incorrectly as an image, in the "Output tab" screen.
<u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<u>1.3.1 Info and Relationships</u> (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Get started with Autopilot" and other headings are out of order in the "Test prompt" screen. "What should your agent do?" is incorrectly marked up as a heading in the "Test prompt" screen. The 'Create new evaluation' text is not marked up as a heading in the "Create new evaluation" screen. Automations and other tab buttons are missing list markup in the "Add tool modal" screen. The "Agent score Preview" and other headings are out of order in the "Health score" screen. System prompt and user prompt form fields are deleted, and the suggested information text is only presented visually in the "Review suggestion prompt" screen. The "Prompt analysis, focused on clarity, completeness, consistency, chain of thought and demos." text and other texts are incorrectly marked up as headings in the "Health score" screen. Add tool text missing heading markup in the "Add tool modal" screen. The '12:41:19 PM Provisioning solution...' and other (role="none") elements are incorrectly nested inside the elements in the "Output tab" screen The 'Evaluators for Default Evaluation Set' text is not marked up as a heading in the "Set evaluators" screen. General, tools, and other texts are missing heading markup in the "Prompt and Autopilot suggestions" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> The "Evaluation Sets" control is incorrectly marked up as a list in the "Evaluation Sets" screen. The 'Clarity of system and user prompts.' and other texts are marked up as headings in the "Health score" screen. The 'The prompt is clear in its intention to reserve.....' text and other texts are incorrectly marked up as headings in the "Health score" screen. The "Define resources" is not marked up as a heading in the "Explorer app section" screen. Properties (Key-value pairs) is missing grouping in the "Display all properties" screen.
1.3.2 Meaningful Sequence (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The 'Available resources' text is not readable to screen reader users in the "Test Configuration" screen. The available resources static text is not readable to screen reader users in the "Escalation form" screen. code editor numbering text is not screen reader accessible in the "Data manager" screen. aria-hidden is incorrectly provided for the numbering text in the "Generate from payload" screen. Informative content ("Defined resources") is visually shown but programmatically hidden using aria-hidden="true" in the "Explorer app section" screen.
1.3.3 Sensory Characteristics (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
1.4.1 Use of Color (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> System prompt and user prompt form fields error message (when no input) relies on color change in the "Prompt and Autopilot suggestions" screen. Suggested information text relied only on color in the "Review suggestion prompt" screen. The 'Expected Output' element does not meet the required contrast ratio default to the focused state lacks a 3:1 in the "Add Evaluation Set" screen. Take a tour button lacks 3:1 contrast with the surrounding text color in the "Prompt and Autopilot suggestions" screen.
1.4.2 Audio Control (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
2.1.1 Keyboard (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Category, Type, model, and Target output fields combobox options are not readable and selectable in the "Edit evaluator" screen. Draggable and other controls use device-dependent event handlers in the "Data manager" screen. The 'traces.agent_span_type_agentOutput' tooltip content uses a device-dependent event handler in the "Output tab" screen End of file expected tooltip information uses device-dependent event handlers in the "Generate from payload" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> The separator uses a device-dependent event handler in the "Output tab" screen The list of options in the "Model" combo box is not keyboard operable and accessible with the keyboard on the "Properties panel" screen The tooltip content uses device-dependent event handlers in the "Health score" screen. Agent Memory stores and other tooltips use device-dependent event handlers in the "Escalation form" screen. Approve Reject combobox options are not navigable and functional with and without screen reader in the "Escalation form" screen. The 'Export, Duplicate, and Delete' buttons are not keyboard accessible and operable in the "Evaluation Sets" screen. The 'Resource definitions are automatically added.....' tooltip content uses device-dependent event handlers in the "Explorer app section" screen Click here to add description button is not keyboard accessible in the "Prompt and autopilot suggestions" screen. Connection is required for this integration tool tooltip uses device-dependent event handlers in the "Prompt and autopilot suggestions" screen. The tooltip content is not keyboard focusable and operable in the "Health score" screen. The system prompt and user prompt form fields help tooltip is not keyboard accessible in the "Prompt and Autopilot Suggestions" screen. Drag event uses mouse event and no keyboard alternative to move position in the "Data manager" screen. Take a tour button is not keyboard focusable and actionable in the "Prompt and Autopilot suggestions" screen. The default evaluator and Evaluator 2 buttons are not keyboard accessible in the "Evaluators" screen. The "Edit, Duplicate, and Delete" options are not keyboard operable and accessible with the keyboard in the "Add evaluation set" screen Resizable separator uses device dependent event handlers in the "Prompt and Autopilot suggestions" screen. " The "Apps" and other elements are not keyboard focusable and operable in the "Explorer app section" screen.
<u>2.1.2 No Keyboard Trap</u> (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> System prompt and user prompt form fields do not allow keyboard-only users and screen reader users to move away from the element using the tab key in the "Prompt and Autopilot suggestions" screen. The focus is trapped inside the text input editor in the "Generate from payload" screen.
<u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only) Also applies to: <ul style="list-style-type: none"> EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<u>2.2.1 Timing Adjustable</u> (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	Web: Supports	<ul style="list-style-type: none"> A user is able to turn off, adjust, or extend the time limit.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) EN 301 549 		
2.2.2 Pause, Stop, Hide (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The tour guide image has an autoplaying media and has no mechanism to pause, stop, or hide in the "Keep agent performing best" screen.
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
2.4.1 Bypass Blocks (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> A mechanism is available to bypass blocks of content that are repeated on multiple web pages.
2.4.2 Page Titled (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The page title "Untitled 5 - UiPath Studio" doesn't convey the purpose of the page in the "Evaluation Sets" screen.
2.4.3 Focus Order (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The add tool modal is closed focus is not returned to the trigger in the "Add tool modal" screen. Automations and other tab buttons are selected, and focus is lost to the address bar in the "Add tool modal" screen. The available resources option selection results in a focus lost in the "Escalation form" screen. The back-to-builder button focus order is not logical on the "Data manager" screen. import evaluation set modal is closed, focus is not returned to the trigger in the "import evaluation set" screen. "Evaluator created successfully." Success alert is not receiving focus in a logical way in the "Add evaluator modal" screen. The export evaluation set modal is closed, and focus is not returned to the trigger in the "Export evaluation set" screen. The review suggestions button interaction is not logical in the "Prompt and Autopilot suggestions" screen. Add evaluator modal is closed, focus is not returned to the trigger in the "Add evaluator modal" screen.
2.4.4 Link Purpose (In Context) (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	Web: Supports	<ul style="list-style-type: none"> The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) EN 301 549 		
2.5.1 Pointer Gestures (Level A 2.1 only) Also applies to: <ul style="list-style-type: none"> EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: <ul style="list-style-type: none"> EN 301 549 	Web: Supports	<ul style="list-style-type: none"> All functionality that can be operated using a single pointer either has no down event, the ability to abort or undo, up reversal, or is essential.
2.5.3 Label in Name (Level A 2.1 only) Also applies to: <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> System prompt and user prompt form fields visible label is not in the accessible name because the label is not associated with the control in the "Prompt and Autopilot suggestions" screen. The export evaluation set form field's visible label is not in its accessible name in the "Export evaluation set" screen. Key, value form fields accessible name does not contain the visible label text in the "Display all properties" screen. The 'Max. tokens per response' and 'Temperature' sliders accessible names don't contain a visible label in the "Properties panel" screen "Describe the agent you want to create..." form field's accessible name does not contain the visible label text in the "Test prompt" screen. The 'Default Evaluator' checkbox accessible name is missing in the "Set evaluators" screen. Paste the exported evaluation JSON form field accessible name that does not contain a visible label in the "import evaluation set" screen.
2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: <ul style="list-style-type: none"> EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
3.1.1 Language of Page (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> The default human language of each web page can be programmatically determined.
3.2.1 On Focus (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> When any component receives focus, it does not initiate a change of context.
3.2.2 On Input (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The edit fields 'CP Accuracy App' and 'CPSolvedTicketsIndex' combobox selection results in a focus lost in the "Test Configuration" screen.
3.2.6 Consistent Help (Level A 2.2 only) Does not apply to: <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Supports	<ul style="list-style-type: none"> There is consistent help across all product pages and screens.

Criteria	Conformance Level	Remarks and Explanations
3.3.1 Error Identification (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.
3.3.2 Labels or Instructions (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The description label is not persistent in the "Data Manager" screen. App select an app form control, missing instructions on how to interact in the "Escalation form" screen. The 'Evaluation set 2' edit field doesn't have a visible label in the "Add evaluation set" screen. The 'Select All' checkbox doesn't have a visible label in the "Add evaluation set" screen. The required checkbox label is not persistent in the "Data manager" screen.
4.1.1 Parsing (Level A) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.
4.1.2 Name, Role, Value (Level A) <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> aria-label="collapse" incorrectly used for Agent run - Untitled 5 and other accordion elements in the "Output tab" screen. The list of suggested "additional resource" options are not announced to screen reader users in the "Test Configuration" screen. Accordion section controls are incorrectly nested inside other button controls in the "Data manager" screen. The content info role is incorrectly used for the tour guide modal in the "Keep agent performing best" screen. The aria-modal="false" attribute is incorrectly used for the content info role in the "Keep agent performing best" screen. System prompt and user prompt form fields are missing accessible names in the "Prompt and Autopilot Suggestions" screen. Automations and other tab buttons' aria-label overrides the original name in the "Add tool modal" screen. The 'Resource definitions are automatically added.....' tooltip content is not available to the screen reader users in the "Explorer app section" screen The '< >' buttons are missing button names in the "Create new evaluation" screen. The 'Collapse/Expand editor and Close' buttons are missing button names in the "Test configuration" screen End of file expected tooltip information is not screenreader accessible in the "Generate from payload" screen. The 'Prompt contributes 30% weight to the overall health score' and other tooltip contents are not

Criteria	Conformance Level	Remarks and Explanations
		<p>accessible to screenreader users in the “Health score” screen.</p> <ul style="list-style-type: none"> • The ‘Default Evaluator’ checkbox control is announcing an incorrect button role in the “Evaluation Sets” screen. • The edit fields ‘CP Accuracy App’ and ‘CPSolvedTicketsIndex’ are missing accessible names in the “Test configuration” screen • App select an app form control, missing instructions on how to interact in the “Escalation form” screen. • String, integer, number..etc, menu buttons are missing names in the “Data manager” screen. • The ‘Evaluation set 2’ edit field accessible name is missing in the “Add evaluation set” screen. • Stale Retention policy action and other comboboxes’ tooltip information is not screenreader accessible in the “Display all properties” screen. • The ‘Filter by severity’ button is missing an accessible name in the “Output tab” screen • The ‘traces.agent_span_type_agentOutput’ tooltip content is not announced to the screen reader users in the “Output tab” screen • The Button is incorrectly nested inside the “Separator” in the “Explorer app section” screen. • The ‘Export Execution Trace (.json)’ link is missing the link name in the “Output tab” screen • The ‘Collapse all spans, Search span name, and Display raw data’ buttons are missing button names in the “Output tab” screen • The three-dot icon buttons are missing button names in the “Evaluation Sets” screen. • Export evaluation set form field missing label association in the “Export evaluation set” screen. • The label option checkboxes are missing the checkbox role in the “Display all properties” screen. • The right arrow icon buttons are missing button names in the “Health score” screen. • The right arrow icon buttons are missing both the expand/collapse state in the “Health score” screen. • The ‘Default Evaluator’ checkbox control has been nested inside the button element in the “Set evaluators” screen. • Escalation section logo images provided with aria-label with no valid role attribute in the “Escalation form” screen. • The ‘Trace’ and other checkboxes are missing role and state in the “Output tab” screen • The ‘Clarity of system and user prompts.’ and other tooltip contents are not accessible in the “Health score” screen. • Recipients combobox options existing name overriding with aria-label in the “Escalation form” screen. • Agent Memory stores and other tooltips are not screen reader accessible in the “Escalation form” screen. • Click here to add description button is missing the button role in the “Prompt and autopilot suggestions” screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> Connection is required for this integration tool tooltip is not screen reader accessible in the "Prompt and autopilot suggestions" screen. The More actions buttons are missing both the expand/collapse state in the "Add evaluation set" screen. System prompt and user prompt form fields help tooltip information is not screen reader accessible in the "Prompt and Autopilot Suggestions" screen. The expand/collapse state is incorrectly provided for the edit and other buttons in the "Data manager" screen. Labels options are incorrectly marked up with role=row in the "Display all properties" screen. The 'Evaluation Sets' and 'Evaluation Set 2' items are not marked up as a breadcrumb region in the "Add Evaluation Set" screen. The default evaluator and Evaluator 2 buttons are missing the button role in the "Evaluators" screen. Take a tour button missing button role in the "Prompt and Autopilot suggestions" screen. Resizable separator missing separator role in the "Prompt and Autopilot suggestions" screen. The 'Defined resources treeview section' used unsupported ARIA attributes in the "Explorer app section" screen The 'Default Evaluator' checkbox accessible name is missing in the "Set evaluators" screen. Key, value form fields missing label association in the "Display all properties" screen. The three-dot icon buttons are missing both the expand/collapse state in the "Evaluation Sets" screen.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
1.3.4 Orientation (Level AA 2.1 only) Also applies to: <ul style="list-style-type: none"> EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.
1.3.5 Identify Input Purpose (Level AA 2.1 only)	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.

Criteria	Conformance Level	Remarks and Explanations
Also applies to: <ul style="list-style-type: none"> EN 301 549 		
1.4.3 Contrast (Minimum) (Level AA) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The 'Loading...' text doesn't meet the required contrast ratio of 4.5:1 in the "Test configuration" screen System prompt and user prompt form fields placeholder text lacks 4.5:1 in the "Prompt and Autopilot suggestions" screen. Poor status text lacks 4.5:1 in the "Prompt and Autopilot suggestions" screen. The '3:46:43 PM' and other content don't meet the required contrast ratio of 4.5:1 on hover and focus state in the "Output tab" screen System prompt and user prompt form fields deleted and suggested information text color lacks 4.5:1 in the "Review suggestion prompt" screen. The '0 out of 4 messages match.....' and other content doesn't meet the required contrast ratio of 4.5:1 in the "Output tab" screen "Not applicable or no value set" placeholder text lacks 4.5:1 in the "Display all properties" screen. The JSON text lacks 4.5:1 in the "Generate from payload" screen. Ask autopilot placeholder text lacks 4.5:1 in the "Prompt and Autopilot suggestions" screen.
1.4.4 Resize text (Level AA) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The 'An evaluator that uses a LLM to score the similarity of the actual output to the expected output' tooltip content is not available when the page is zoomed to 200% in the "Set Evaluators" screen. The 'View all details' buttons and the 'Default Evaluation Set 0 evaluations • Last ran: N/A' content are not available when the page is zoomed to 200% in the "Evaluation Sets" screen. The '< >' buttons are not available when the page is zoomed to 200% in the "Create new evaluation" screen. The 'Evaluation set name' and other elements are not available when the page is zoomed to 200% zoom in the "Evaluate results" screen.
1.4.5 Images of Text (Level AA) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Text is used to convey information rather than images of text except for when a particular presentation of text is essential.
1.4.10 Reflow (Level AA 2.1 only) Also applies to: <ul style="list-style-type: none"> EN 301 549 	Web: Does Not Support	<ul style="list-style-type: none"> When the screen size is zoomed up to 400%, content does not reflow without loss of functionality or content.
1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to: <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Suggested and deleted text background lacks 3:1 in the "Review suggestion prompt" screen. text input editor boundary color lacks 3:1 in the "Generate from payload" screen. The selected element 'Close Deployment configuration' doesn't meet the contrast ratio of 3:1 in the "Deployment configuration tab" screen. The 'Separator draggable line' doesn't meet the visual boundary color with the contrast ratio of 3:1 in the "Output tab" screen The 'Max. tokens per response' and 'Temperature' sliders boundary color doesn't meet the required contrast ratio of 3:1 in the "Properties panel" screen

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.12 Text Spacing (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The 'Down arrow' icon doesn't meet the contrast ratio of 3:1 on the "Display all properties" screen. Add property and Generate from payload buttons overlap when text spacing settings are adjusted in the "Generate from payload" screen. Text spacing does not result in loss of content or functionality.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The tooltip content for 'Agent run – Untitled 5 Start time...' and other elements disappears when hovering over it in the "Output Tab" screen. Draggable and other controls' tooltips that become available on hover do not allow the user to move the pointer over that same additional content in the "Data manager" screen. Value options tooltip information does not allow the user to move the pointer over the same additional content in the "Display all properties" screen. Value options tooltip information is not dismissible with the Esc key in the "Display all properties" screen. The content "0.16" and "4325" is not dismissible with the keyboard ESC key on the "Properties panel" screen
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> More than one way is available to locate a web page within a set of web pages except where the web Page is the result of, or a step in, a process.
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Multiple option buttons have the same name in the "Prompt and autopilot suggestions" screen. Delete buttons have the same name different actions in the "Display all properties" screen. Escalation section option buttons are provided with same name but have different actions in the "Escalation form" screen. Expand and collapse buttons are missing descriptive names in the "Data manager" screen. The 'View details' and other buttons have the same labels in the "Evaluation Sets" screen. Multiple accept and cancel buttons are provided with the same name in the "Review suggestion prompt" screen. The 'See Suggestions' buttons have the same labels in the "Health score" screen. Recipients combobox options existing name overriding with aria-label in the "Escalation form" screen. The labels selected options close buttons have the same name in the "Display all properties" screen. The system prompt and user prompt form fields' visible label is not in the accessible name because the label is not associated with the control in the "Prompt and Autopilot Suggestions" screen. Review suggestions and other buttons are provided with the same name in the "Prompt and Autopilot Suggestions" screen. The default evaluator and Evaluator 2 more action buttons have the same name different actions in the "Evaluators" screen.

Criteria	Conformance Level	Remarks and Explanations
<u>2.4.7 Focus Visible</u> (Level AA) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.
<u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only) Does not apply to: <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Focus is not obscured throughout the pages and screens of the products, as it meets the minimum contrast level.
<u>2.5.7 Dragging Movements</u> (Level AA 2.2 only) Does not apply to: <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The separator uses a dragging movement with no alternative in the "Output tab" screen Drag event does not have a single-pointer, single-touch alternative in the "Data manager" screen. Resizable separator uses dragging movement with no alternative in the "Prompt and Autopilot suggestions" screen. The "Defined resources" separator uses device-dependent event handlers in the "Explorer app section" screen
<u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only) Does not apply to: <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Throughout the product the targets meet a minimum size or have sufficient spacing around them.
<u>3.1.2 Language of Parts</u> (Level AA) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Globally, the language of parts of a page that differ from main page language do not have lang attributes. Note: There is no technical way to control or determine what values are inputted in the fields by various users, therefore there is no method available to make such language parts programmatically determinable.
<u>3.2.3 Consistent Navigation</u> (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> Navigational mechanisms that are repeated on multiple web pages within a set of web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.
<u>3.2.4 Consistent Identification</u> (Level AA) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Components that have the same functionality within a set of web pages are identified consistently.
<u>3.3.3 Error Suggestion</u> (Level AA) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.
<u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA) Also applies to: <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) EN 301 549 		
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) Does not apply to: <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Accessible Authentication is supported by the product, users don't need to solve, recall, or transcribe something to log in.
4.1.3 Status Messages (Level AA 2.1 only) Also applies to: <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The 'Loading and No results found.' status messages are not announced in the "Test configuration" screen "Saving.. message is not screen reader accessible in the "Data manager" screen. No automation found status message not exposed to the screen reader users in the "Add tool modal" screen. No results found status message is not communicated to the screen reader users in the "Escalation form" screen. The '0 out of 4 messages match.....' and other content is not announced to the screen reader users in the "Output tab" screen The 'Calculating...' and '23 Poor Calculated a few seconds ago' content is not announced in the "Health score" screen. The number of filter options selected count updates are not communicated to the screen reader users in the "Output tab" screen The 'Loading indicator' and 'Completed, Pending, 0/1' content is not announced in the "Evaluate results" screen. The loading indicator and 'No components found for: testing' are not announced in the "Deployment configuration tab" screen. The 'Loading' icon is not announced on the "Display all properties" screen. "This object contains no properties" message is not screen reader accessible in the "Display all properties" screen. "The field is required" error message is not screen reader accessible in the "Display all properties" screen.

Table 3: Success Criteria, Level AAA

Notes: The product has not been evaluated for WCAG 2.2 Level AAA conformance.

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 2.1.1, 2.1.2, 2.4.2, 2.4.3, 2.4.6, 3.2.2, 4.1.2
302.2 With Limited Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 1.4.3, 1.4.4, 2.1.1, 2.1.2, 2.4.3, 2.4.6, 3.3.2, 4.1.2
302.3 Without Perception of Color	Partially Supports	See WCAG: 1.4.1, 1.4.3
302.4 Without Hearing	Partially Supports	See WCAG: 1.1.1
302.5 With Limited Hearing	Supports	
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Partially Supports	See WCAG: 2.1.1, 2.4.3, 2.4.6, 4.1.2
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	See WCAG: 1.3.1, 1.3.2, 1.4.1, 2.1.1, 2.2.2, 2.4.3, 2.4.6, 3.3.2, 4.1.2

Chapter 4: Hardware

Notes: The product is a web/software application and is not subject to the requirements of this section.

Chapter 5: Software

Notes: The product is a web application and is not subject to the requirements of this section.

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
<u>602 Support Documentation</u>	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
602.2 Accessibility and Compatibility Features	Supports	UiPath provides electronic versions of all product support documentation, offering all users information on how to install and use each product. If needed, end-users with diverse abilities can request additional product support documentation by contacting: accessibility@uipath.com .
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section.

Criteria	Conformance Level	Remarks and Explanations
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	All necessary documentation for the product is provided electronically.
<u>603 Support Services</u>	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
603.2 Information on Accessibility and Compatibility Features	Supports	End-users with diverse abilities can request additional information about UiPath products by contacting: accessibility@uipath.com .
603.3 Accommodation of Communication Needs	Not Evaluated	<p>The flows of opening support tickets via Customer Portal and via our website have not yet been tested against accessibility requirements.</p> <p>UiPath customers can reach out for assistance with conformance documentation and accessibility support via accessibility@uipath.com.</p>

Legal Disclaimer (Company)

These results reflect sample accessibility testing for a set of critical user paths. Not every element was evaluated for accessibility.