



UiPath Agent Builder Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT® Version 2.5 Rev)

Name of Product/Version: UiPath Agent Builder December 2025

Report Date: December 19, 2025

Product Description: UiPath Agent Builder is a agent development tool in UiPath Studio that helps developers create, customize, evaluate, and deploy specialized enterprise agents that can understand context, make decisions, and execute complex processes.

Contact Information: Contact sales: <https://www.uipath.com/company/contact-us>

Notes: Specific user scenarios were tested to ensure critical user paths were included in the VPAT. All application content was not tested, but rather a crucial sampling of content was used for test cases.

Evaluation Methods Used: Software Test Process for WCAG 2.2 AA was used (based on Trusted Tester v5, WCAG 2.0 AA, WCAG 2.1 A-AA, WCAG 2.2 and Section 508 Software testing).

The following testing tools were used on a Windows 11 desktop and Chrome Browser: Accessibility Insights for Windows v1.1, Color Contrast Analyzer, NVDA v2024.4.2, Axe® accessibility testing tools: axe Auditor and the axe DEvTools browser extension and external keyboard.

Testing was performed by Certified Professional in Accessibility Core Competencies from Deque and by certified Trusted Testers (v5) from New Editions Consulting, Inc.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 Report	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 – 602.3 Electronic Support Documentation

Notes: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The Success graphic is not hidden from the screen reader users in the "History tab" screen. • The Success graphic is not hidden from screen reader users on the "Data Evaluator" screen. • The success graphic image is not hidden to the screen reader users in the "Conversation history preview window" screen. • The Activites list logo image is missing alternative text in the "Add tool modal" screen. • The 'Tick mark icon, i.e., Metadata region' is coded incorrectly as an image, in the "Output tab" screen.
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.3.1 Info and Relationships</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The "Define resources" is not marked up as a heading in the "Explorer app section" screen. • The '12:41:19 PM Provisioning solution...' and other (role="none") elements are incorrectly nested inside the elements in the "Output tab" screen • Solution folder and other text are missing heading markup in the "Add tool feature" screen. • Close button and breadcrumb text are missing heading markup in the "Edit arguments description modal" screen. • primary and output form not associated with their group labels in the "Get record" screen. • The chosen tool and its child headings are provided with the same heading levels in the "Add tool feature" screen. • Edit argument description and other heading text order are incorrect in the "Edit arguments description modal" screen. • Choose tool options missing list markup in the "Add tool feature" screen. • The activity options missing list markup in the "Activity search" screen. • listbox role provided without parent role in the "Add tool feature" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • Execution trace section list markup is not communicated in the "Evaluation trail tab" screen. • Data Evaluator text missing heading markup in the "Data Evaluator" screen. • Results section does not directly contain children in the "Evaluations tab result data" screen. • Evaluation set generator and other text heading markup is incorrect in the "Evaluation set generator modal" screen. • close and other text incorrectly provided with heading markup in the "Evaluation set generator modal" screen. • The previous and new expected output code highlights are not screen reader accessible in the "Update evaluation - From Agent run Agent modal" screen. • Trace and other text headings are out of order in the "History tab" screen. • close button incorrectly provided with heading markup in the "Expected output modal" screen. • Footnotes and numbering links relationship is not conveyed in the "Conversation history preview window" screen. • Select agent type text and other texts are out of order in the "Select agent type modal" screen. • Conversation builder and other text are missing heading markup in the "Conversation builder modal" screen. • Get started with Autopilot" and other headings are out of order in the "Test prompt" screen. • "What should your agent do?" is incorrectly marked up as a heading in the "Test prompt" screen. • The "Agent score Preview" and other headings are out of order in the "Health score" screen. • The "Prompt analysis, focused on clarity, completeness, consistency, chain of thought and demos." text and other texts are incorrectly marked up as headings in the "Health score" screen. • The 'Evaluators for Default Evaluation Set' text is not marked up as a heading in the "Set evaluators" screen. • "General, tools, and other texts are missing heading markup in the "Prompt and Autopilot suggestions" screen. • The "Evaluation Sets" control is incorrectly marked up as a list in the "Evaluation Sets" screen. • The 'Clarity of system and user prompts.' and other texts are marked up as headings in the "Health score" screen. • The 'The prompt is clear in its intention to reserve.....' text and other texts are incorrectly marked up as headings in the "Health score" screen. • Properties (Key-value pairs) is missing grouping in the "Display all properties" screen. • Conversation history text is missing heading markup in the "Conversation history preview window" screen.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	<p>Web: Partially Supports</p>	<ul style="list-style-type: none"> • The available resources static text is not readable to screen reader users in the "Escalation form" screen. • The 'Available resources' text is not readable to screen reader users in the "Test Configuration" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> 1,2,3,4..etc numbering text is not communicated to the screen reader users in the "Add example form" screen. Expected vs actual output details are being read in an illogical manner in the "Data Evaluator" screen. Numbering text and its information reading order is not meaningful in the "Expected output modal" screen. The evaluation table tooltip information reading order is not logical in the "Conversation history preview window" screen. Code editor numbering text is not screen reader accessible in the "Data manager" screen. aria-hidden is incorrectly provided for the numbering text in the "Generate from payload" screen. Informative content ("Defined resources") is visually shown but programmatically hidden using aria-hidden="true" in the "Explorer app section" screen.
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Autonomous and other active buttons state lacks 3:1 in the "Select agent type modal" screen. The 'Expected Output' element does not meet the required contrast ratio default to the focused state lacks a 3:1 in the "Add Evaluation Set" screen. "Take a tour button lacks 3:1 contrast with the surrounding text color in the ""Prompt and Autopilot suggestions"" screen.
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The "Apps" and other elements are not keyboard focusable and operable in the "Explorer app section" screen. The 'Resource definitions are automatically added.....' tooltip content uses device-dependent event handlers in the "Explorer app section" screen The Open connection link is not keyboard accessible in the "Get record" screen. Separator control is not focusable and operable with the keyboard in the "Add tool feature" screen. File id form fields are not keyboard accessible in the "Get record" screen. Guardrail and other informative tooltips are not keyboard accessible in the "Get record" screen. Evaluation table tooltip information uses device-independent event handlers in the "Conversation history preview window" screen. Category, Type, model, and Target output fields combobox options are not readable and selectable in the "Edit evaluator" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • Draggable and other controls use device-dependent event handlers in the "Data manager" screen. • The 'traces.agent_span_type_agentOutput' tooltip content uses a device-dependent event handler in the "Output tab" screen • End of file expected tooltip information uses device-dependent event handlers in the "Generate from payload" screen. • The list of options in the "Model" combo box is not keyboard operable and accessible with the keyboard on the "Properties panel" screen • Agent Memory stores and other tooltips use device-dependent event handlers in the "Escalation form" screen. • Approve Reject combobox options are not navigable and functional with and without screen reader in the "Escalation form" screen.
<p><u>2.1.2 No Keyboard Trap</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The focus is trapped inside the text input editor in the "Generate from payload" screen.
<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>2.2.1 Timing Adjustable</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • A user is able to turn off, adjust, or extend the time limit.
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • The tour guide image has an auto playing media and has no mechanism to pause, stop, or hide in the "Keep agent performing best" screen.
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>2.4.1 Bypass Blocks</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • A mechanism is available to bypass blocks of content that are repeated on multiple web pages.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The page title "Untitled 5 - UiPath Studio" doesn't convey the purpose of the page in the "Evaluation Sets" screen.
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • Object and file id menu options interaction focus order not logical in the "Get record" screen. • When the modal dialog is closed, focus is not returned to logical element in the "Edit arguments description modal" screen. • Focus is not returned to the triggering element when the modal dialog is closed in the "Guardrail builder for Get Record modal" screen. • Close and here link focus order is not logical in the "Guardrail builder for Get Record modal" screen. • More details modal closed, focus is not returned to the triggering element in the "Data Evaluator" screen. • focus is not maintained during shift tab navigation in the "Evaluation set generator modal" screen. • When the modal is closed, focus is not returned to the triggered element in the "Update evaluation - From Agent run Agent modal" screen. • Focus is not returned to the logical element when the modal is closed in the "Evaluation set generator modal" screen. • When alert modal notifications are closed, focus has to move to the logical element in the "Evaluations tab result data" screen. • When the Conversation Builder modal is closed, focus is not returned to the element that triggered it in the "Edit evaluation history" screen. • The evaluation table tooltip information focus order is not logical in the "Conversation history preview window" screen. • Focus is not placed on the New notification alert whenever it appears in the "Conversation builder modal" screen. • The available resources option selection results in a focus lost in the "Escalation form" screen. • The back-to-builder button focus order is not logical on the "Data manager" screen. • import evaluation set modal is closed, focus is not returned to the trigger in the "import evaluation set" screen. • "Evaluator created successfully." Success alert is not receiving focus in a logical way in the "Add evaluator modal" screen. • The export evaluation set modal is closed, and focus is not returned to the trigger in the "Export evaluation set" screen. • "The review suggestions button interaction is not logical in the "Prompt and Autopilot suggestions" screen. • Add evaluator modal is closed, focus is not returned to the trigger in the "Add evaluator modal" screen. • Keyboard focus is lost to "skip to the main content" during more options menu interaction in the "Chat conversation with Agent" screen.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context.
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • All functionality that can be operated using a single pointer either has no down event, the ability to abort or undo, up reversal, or is essential.
<p><u>2.5.3 Label in Name</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • Key, value form fields accessible name does not contain the visible label text in the "Display all properties" screen. • Evaluation set name form field visible label is associated as accessible name in the "Evaluation set name form field" screen. • The 'Max. tokens per response' and 'Temperature' sliders accessible names don't contain a visible label in the "Properties panel" screen • The 'Default Evaluator' checkbox accessible name is missing in the "Set evaluators" screen. • Paste the exported evaluation JSON form field accessible name that does not contain a visible label in the "import evaluation set" screen.
<p><u>2.5.4 Motion Actuation</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>3.1.1 Language of Page</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • The default human language of each web page can be programmatically determined.
<p><u>3.2.1 On Focus</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • When any component receives focus, it does not initiate a change of context.
<p><u>3.2.2 On Input</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The edit fields 'CP Accuracy App' and 'CPSolvedTicketsIndex' combobox selection results in a focus lost in the "Test Configuration" screen.
<p><u>3.2.6 Consistent Help</u> (Level A 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> • Revised Section 508 • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • There is consistent help across all product pages and screens.

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> "The field is required" error message is not descriptive in the "Get record" screen.
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> "Describe how agent should fill form field" is missing a visible label in the "Edit arguments description modal" screen. Enter your comment here form field is missing a persistent visible label in the "Evaluation set generator modal" screen. accordion edit field names missing visible labels in the "Evaluation set name form field" screen. The 'Evaluation set 2' edit field doesn't have a visible label in the "Add evaluation set" screen. The 'Select All' checkbox doesn't have a visible label in the "Add evaluation set" screen. The required checkbox label is not persistent in the "Data manager" screen.
<p>3.3.7 Redundant Help (Level A 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Software: Supports	<ul style="list-style-type: none"> Multi-step processes are easy to complete.
<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.
<p>4.1.2 Name, Role, Value (Level A)</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Missing Accessible Names Affects: Buttons, Form fields, Icon buttons, Sections, Menu buttons Multiple elements lack descriptive names (Filter by severity, Run, Add evaluation, Close, Edit Conversation builder, String/Integer/Number menus, Input/Output sections, form fields like CP Accuracy App, Google Doc textbox, Evaluation set name, Key/Value fields) Missing or Incorrect Roles Affects: Buttons, Checkboxes, Links, Separators, Static text, Modals, Images Elements not assigned proper roles (Choose tool options, Info tooltip buttons, Click here to add description, Take a tour, Default evaluator, Response text, Footnote links, Traces separator) Incorrect roles applied (Labels marked as role=row, treeview role on non-treeview elements, contentinfo role on tour guide modal, static text given incorrect role) Missing or Incorrect States Affects: Icon buttons, Menu buttons, Accordion elements, Tabs, Filter buttons Expand/collapse state missing (icon buttons, right arrow icons, three-dot icons, More actions, Sources button, Filter button)

Criteria	Conformance Level	Remarks and Explanations
		<p>Selected/pressed state not communicated (Trace buttons, Chat/History/Evaluations tabs) Incorrect state exposed (disabled state on menu button, wrong expand/collapse state on edit buttons)</p> <ul style="list-style-type: none"> Content Not Exposed to Screen Readers Affects: Tooltips, Suggested options, Checkbox options Tooltip content hidden (Retention policy, End of file expected, Resource definitions, Execution trace, Choose tool modal, Guardrail info, Select evaluations, Clarity of prompts) List options not announced (additional resource suggestions, Apply to fields checkboxes, combobox options) Invalid ARIA Usage Affects: Multiple screens aria-label provided without valid role (logo images, tooltip buttons, chat elements) aria-labelledby not properly used aria-expanded on elements without role aria-label="collapse" incorrectly used on accordion elements Unsupported ARIA attributes on treeview aria-label overriding existing names (Recipients combobox) Incorrect Element Nesting Affects: Buttons, Checkboxes, Accordion controls, Links Buttons nested inside separators or other buttons Checkbox controls nested inside button elements Accordion controls nested inside button controls Sources incorrectly nested with link and button roles Treeview Structure Issues Affects: Treeview components Treeview role incorrectly applied to non-treeview elements Content levels not communicated to screen readers Missing Breadcrumb Region Affects: Navigation elements Evaluation Sets items not marked up as breadcrumb region

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>1.2.5 Audio Description (Prerecorded)(Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> o 501 (Web)(Software) o 504.2 (Authoring Tool) o 602.3 (Support Docs) • EN 301 549 		
<p>1.3.4 Orientation (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.
<p>1.3.5 Identify Input Purpose (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> o 501 (Web)(Software) o 504.2 (Authoring Tool) o 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • Connection loading state text color lacks 4.5:1 in the "Get record" screen. • "{}" and other text lack 4.5:1 in the "Add example form" screen. • 11.35, 9.74..etc, text lacks 4.5:1 in the "Data Evaluator" screen. • Execution trace number text lacks 4.5:1 in the "History tab" screen. • The Execution trace section text color does not meet 4.5:1 in the "History tab" screen. • Enter agent text message text color lacks 4.5:1 in the "Conversation builder modal" screen. • The 'Loading...' text doesn't meet the required contrast ratio of 4.5:1 in the "Test configuration" screen • "System prompt and user prompt form fields placeholder text lacks 4.5:1 in the "Prompt and Autopilot suggestions" screen. • Poor status text lacks 4.5:1 in the "Prompt and Autopilot suggestions" screen. • The '3:46:43 PM' and other content don't meet the required contrast ratio of 4.5:1 on hover and focus state in the "Output tab" screen • System prompt and user prompt form fields deleted and suggested information text color lacks 4.5:1 in the "Review suggestion prompt" screen. • The '0 out of 4 messages match.....' and other content doesn't meet the required contrast ratio of 4.5:1 in the "Output tab" screen • Not applicable or no value set placeholder text lacks 4.5:1 in the "Display all properties" screen. • The JSON text lacks 4.5:1 in the "Generate from payload" screen. • "Ask autopilot placeholder text lacks 4.5:1 in the ""Prompt and Autopilot suggestions" screen.
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> o 501 (Web)(Software) o 504.2 (Authoring Tool) o 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • Connections options are clipped when the page size is zoomed to 200% in the "Get record" screen. • The choose tool tooltip information is cut off at 200% zoom in the "Add tool feature" screen. • The Trace section is lost at 200% zoom in the "History tab" screen. • Evaluations tab content is cut off when the page size is adjusted 200% in the "Evaluations tab result data" screen. • Modal content cut off at 200% zoom in the "Evaluation set generator modal" screen. • Select agent type text and other modal content is lost when the page size is zoomed to 200% in the "Select agent type modal" screen. • The 'View all details' buttons and the 'Default Evaluation Set 0 evaluations • Last ran: N/A' content

Criteria	Conformance Level	Remarks and Explanations
		<p>are not available when the page is zoomed to 200% in the "Evaluation Sets" screen.</p> <ul style="list-style-type: none"> The '< >' buttons are not available when the page is zoomed to 200% in the "Create new evaluation" screen. The 'Evaluation set name' and other elements are not available when the page is zoomed to 200% zoom in the "Evaluate results" screen.
<p>1.4.5 Images of Text (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Text is used to convey information rather than images of text except for when a particular presentation of text is essential.
<p>1.4.10 Reflow (Level AA 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Does Not Support	<ul style="list-style-type: none"> When the screen size is zoomed up to 400%, content does not reflow without loss of functionality or content.
<p>1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Separator's clickable boundary lacks 3:1 in the "Add tool feature" screen. Valid json icon color lacks 3:1 in the "Add example form" screen. The resize editor form icon lacks 3:1 in the "Add example form" screen. Edit button and checkbox boundary lack 3:1 contrast in the "Evaluation generator response form" screen. The separator control boundary lacks 3:1 in the "Data Evaluator" screen. The active state of the trace buttons lacks a 3:1 ratio in the "History tab" screen. Separator control boundary color lacks 3:1 in the "History tab" screen. Enter agent text message boundary lacks 3:1 in the "Conversation builder modal" screen. Separator lacks 3:1 in the "Conversation history preview window" screen. Suggested and deleted text background lacks 3:1 in the "Review suggestion prompt" screen. text input editor boundary color lacks 3:1 in the "Generate from payload" screen. The selected element 'Close Deployment configuration' doesn't meet the contrast ratio of 3:1 in the "Deployment configuration tab" screen. The 'Separator draggable line' doesn't meet the visual boundary color with the contrast ratio of 3:1 in the "Output tab" screen The 'Max. tokens per response' and 'Temperature' sliders boundary color doesn't meet the required contrast ratio of 3:1 in the "Properties panel" screen The 'Down arrow' icon doesn't meet the contrast ratio of 3:1 on the "Display all properties" screen.
<p>1.4.12 Text Spacing (Level AA 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Add property and Generate from payload buttons overlap when text spacing settings are adjusted in the "Generate from payload" screen.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Google Docs image and other tooltip does not allow the user to hover over the same tooltip in the "Get record" screen. Google Docs image and other tooltips are not dismissible without moving the focus in the "Get record" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • Edit nickname tooltip is not hoverable in the "Evaluation set name form field" screen. • The tooltip content for 'Agent run – Untitled 5 Start time...' and other elements disappears when hovering over it in the "Output Tab" screen. • Draggable and other controls' tooltips that become available on hover do not allow the user to move the pointer over that same additional content in the "Data manager" screen. • Value options tooltip information does not allow the user to move the pointer over the same additional content in the "Display all properties" screen. • Value options tooltip information is not dismissible with the Esc key in the "Display all properties" screen. • The content "0.16" and "4325" is not dismissible with the keyboard ESC key on the "Properties panel" screen
<p><u>2.4.5 Multiple Ways</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • More than one way is available to locate a web page within a set of web pages except where the web Page is the result of, or a step in, a process.
<p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • Side navigation panel names are not descriptive in the "Agents home new updates" screen. • Create new and load more buttons are provided with the same names in the "Add tool feature" screen. • Menu button names are not descriptive in the "Get record" screen. • icon button provided with the same name in the "Get record" screen. • Rule type, Apply to fields, and other form controls are provided with the same name in the "Guardrail builder for Get Record modal" screen. • Show more buttons provided with the same name in the "Data Evaluator" screen. • The Execution trace accordion button names are not descriptive in the "History tab" screen. • Save and enter buttons missing descriptive names in the "Evaluation generator response form" screen. • "Send" button missing meaningful programmatic label in the "Chat conversation with Agent" screen. • Multiple option buttons have the same name in the "Prompt and autopilot suggestions" screen. • Delete buttons have the same name different actions in the "Display all properties" screen. • Escalation section option buttons are provided with same name but have different actions in the "Escalation form" screen. • Expand and collapse buttons are missing descriptive names in the "Data manager" screen. • The 'View details' and other buttons have the same labels in the "Evaluation Sets" screen. • Multiple accept and cancel buttons are provided with the same name in the "Review suggestion prompt" screen. • The 'See Suggestions' buttons have the same labels in the "Health score" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> Recipients combobox options existing name overriding with aria-label in the "Escalation form" screen. The labels selected options close buttons have the same name in the "Display all properties" screen. "The system prompt and user prompt form fields' visible label is not in the accessible name because the label is not associated with the control in the "Prompt and Autopilot Suggestions" screen. "Review suggestions and other buttons are provided with the same name in the "Prompt and Autopilot Suggestions" screen. The default evaluator and Evaluator 2 more action buttons have the same name different actions in the "Evaluators" screen.
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Focused parent page elements are obscured in the "Evaluation set generator modal" screen.
<p>2.5.7 Dragging Movements (Level AA 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Separator control requires a dragging movement with no alternative in the "Add tool feature" screen. The resize editor uses a dragging movement with no alternative in the "Add example form" screen. The Separator control uses dragging with no alternative in the "History tab" screen. Performing tool call google button, draggable separator uses the dragging event to adjust the separator in the "Conversation history preview window" screen. The separator uses a dragging movement with no alternative in the "Output tab" screen Drag event does not have a single-pointer, single-touch alternative in the "Data manager" screen. "Resizable separator uses dragging movement with no alternative in the ""Prompt and Autopilot suggestions"" screen. The "Defined resources" separator uses device-dependent event handlers in the "Explorer app section" screen
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> 0% and error buttons touch target has insufficient size in the "Evaluations tab result data" screen. The 'Skip publishing other projects in solution' and 'Show before running test' toggle switches are overlapped when the touch target is applied in the "Test Configuration" screen.
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Globally, the language of parts of a page that differ from main page language do not have lang attributes. Note: There is no technical way to control or determine what values are inputted in the fields by various users, therefore there is no method available to make such language parts programmatically determinable.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> o 501 (Web)(Software) o 504.2 (Authoring Tool) o 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> • Navigational mechanisms that are repeated on multiple web pages within a set of web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> o 501 (Web)(Software) o 504.2 (Authoring Tool) o 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • Components that have the same functionality within a set of web pages are identified consistently.
<p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> o 501 (Web)(Software) o 504.2 (Authoring Tool) o 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> o 501 (Web)(Software) o 504.2 (Authoring Tool) o 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> • Revised Section 508 • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • Accessible Authentication is supported by the product, users don't need to solve, recall, or transcribe something to log in.
<p><u>4.1.3 Status Messages</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The loading indicator and 'No components found for: testing' are not announced in the "Deployment configuration tab" screen. • Invalid JSON information uses color change to indicate error information, but not communicated in the "Add example form" screen. • The "no options" status message is not screen reader accessible in the "Get record" screen. • No options status message is not screen reader accessible in the "Guardrail builder for Get Record modal" screen. • "The field is required" error message is not automatically announced to the screen reader users in the "Get record" screen. • "No activities found" and other status messages are not screen reader accessible in the "Activity search" screen. • The output form field is missing an accessible name in the "Get record" screen. • Generating... and other loading status is not screen reader accessible in the "Evaluation set generator modal" screen. • When the number of evaluations count is updated, the count update is not communicated to the screen reader users in the "Evaluations tab result data" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • "Generating..." and count updates status messages are not communicated to the screen reader users in the "Chat conversation with Agent" screen. • The new notification alert message status message is not screen reader accessible in the "Conversation history preview window" screen. • The loading status message shown after sending text in the Autopilot review prompt is not announced by the screen reader, leaving users unaware that the interface has entered a busy or loading state. • The 'Loading and No results found.' status messages are not announced in the "Test configuration" screen • "Saving.." message is not screen reader accessible in the "Data manager" screen. • No automation found status message not exposed to the screen reader users in the "Add tool modal" screen. • No results found status message is not communicated to the screen reader users in the "Escalation form" screen. • The '0 out of 4 messages match.....' and other content is not announced to the screen reader users in the "Output tab" screen • The 'Calculating...' and '23 Poor Calculated a few seconds ago' content is not announced in the "Health score" screen. • The number of filter options selected count updates are not communicated to the screen reader users in the "Output tab" screen • The 'Loading indicator' and 'Completed, Pending, 0/1' content is not announced in the "Evaluate results" screen. • The 'Loading' icon is not announced on the "Display all properties" screen. • "This object contains no properties" message is not screen reader accessible in the "Display all properties" screen. • The field is required error message is not screen reader accessible in the "Display all properties" screen.

Table 3: Success Criteria, Level AAA

Notes: The product has not been evaluated for WCAG 2.2 Level AAA conformance.

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 2.1.1, 2.1.2, 2.4.2, 2.4.3, 2.4.6, 3.2.2, 3.3.1, 4.1.2
302.2 With Limited Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 1.4.3, 1.4.4, 2.1.1, 2.1.2, 2.4.2, 2.4.3, 2.4.6, 3.2.2, 3.3.1, 3.3.2, 4.1.2
302.3 Without Perception of Color	Partially Supports	See WCAG: 1.4.1, 1.4.3, 3.3.1
302.4 Without Hearing	Partially Supports	See WCAG: 1.1.1
302.5 With Limited Hearing	Partially Supports	See WCAG: 1.1.1
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Partially Supports	See WCAG: 2.1.1, 2.1.2, 2.4.2, 2.4.3, 2.4.6, 4.1.2
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 2.1.1, 2.4.2, 2.4.3, 2.4.6, 3.2.2, 3.3.1, 3.3.2, 4.1.2

Chapter 4: Hardware

Notes: The product is a web/software application and is not subject to the requirements of this section.

Chapter 5: Software

Notes: The product is a web application and is not subject to the requirements of this section.

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
<u>602 Support Documentation</u>	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
602.2 Accessibility and Compatibility Features	Supports	UiPath provides electronic versions of all product support documentation, offering all users information on how to install and use each product. If needed, end-users with diverse abilities can request additional product support documentation by contacting: accessibility@uipath.com .
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section.

Criteria	Conformance Level	Remarks and Explanations
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	All necessary documentation for the product is provided electronically.
<u>603 Support Services</u>	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
603.2 Information on Accessibility and Compatibility Features	Supports	End-users with diverse abilities can request additional information about UiPath products by contacting: accessibility@uipath.com .
603.3 Accommodation of Communication Needs	Not Evaluated	<p>The flows of opening support tickets via Customer Portal and via our website have not yet been tested against accessibility requirements.</p> <p>UiPath customers can reach out for assistance with conformance documentation and accessibility support via accessibility@uipath.com.</p>

Legal Disclaimer (Company)

These results reflect sample accessibility testing for a set of critical user paths. Not every element was evaluated for accessibility.