



UiPath Insights Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT® Version 2.4Rev)

Name of Product/Version: UiPath Insights 2023.10.2

Report Date: February 06, 2024

Product Description: UiPath Insights is a web application that serves as a platform for data modeling and analytics using a combination of available business metrics and operational insights.

Contact Information: Contact sales: <https://www.uipath.com/company/contact-us>

Notes: Specific user scenarios were tested to ensure critical user paths were included in the VPAT. All application content was not tested, but rather a crucial sampling of content was used for test cases.

Evaluation Methods Used: New Edition’s Software Test Process for WCAG 2.1 AAA was used (based on Trusted Tester v5, WCAG 2.0 AAA, WCAG 2.1 A-AAA, and Section 508 Software testing). The following testing tools were used on a Windows 10 desktop: Accessibility Insights for Windows v1.1, Color Contrast Analyzer, NVDA v2020.1, and external keyboard.

Testing was performed by certified Trusted Testers (v5) from New Editions Consulting, Inc.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 Report	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 – 602.3 Electronic Support Documentation

Notes: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.



Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> (Level A) Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> • [Docs] PDF Document - Attended Reporting 2023-03-03T1451 is not compliant.
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.3.1 Info and Relationships</u> (Level A) Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> • [Docs] PDF Document - Attended Reporting 2023-03-03T1451 is not compliant. • The column sort order button does not have an accessible name. The button currently reads, "button" on NVDA because the name appears to contain an unrecognizable character. The name should be "toggle column order" or something similar. • The time zone dropdown menu does not have an accessible name. The name should match the visible label. • The top row of filter buttons do not have an accessible name. Each button currently reads the selected choice instead of the name of the button. The name should match the visible label. • The dropdown and edit fields in the Alerts window do not have accessible names. The names should match the visual label. • The close buttons in the add visualization window do not have accessible names. The button currently reads, "button" on NVDA because the name appears to contain an unrecognizable character. The name should be "close" or something similar. • The dropdown menus under the filter buttons do not have accessible names. The name should match the visible label. • The document element under Execution Data does not have an accessible name. • The X button under Execution Data does not have an accessible name. This occurs when the user selects Fullscreen from the dropdown menu. • The Start Date, Robot Type*, and Folder form fields do not contain descriptive accessible names.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> The combo box that spawns when the Tenant drop down menu is expanded does not have an accessible name. Data tables contain empty table header cells. The form elements Date, Folder, Tenant, and Process Name do not have accessible names.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> In some graphs in Business ROI template, color is the only visual means of conveying information. Another method must be used to convey this information to colorblind users.
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> The column options menu cannot be accessed via keyboard. The tooltip instructions say to press shift+enter, but this does not access the column options menu. The left-side menu in the 'add visualization' window cannot be accessed via keyboard. A mouse user can click these buttons, but a keyboard user is unable to use tab or arrow keys to access these buttons. The clickable bars and numbers under graphs are not keyboard accessible. These can only be accessed via mouse. The column options menus in all tables are not keyboard accessible. These can only be accessed via mouse. Keyboard only users are unable to perform the same actions as mouse users when accessing and executing links.
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> There are no keyboard traps.
<p>2.1.4 Character Key Shortcuts (Level A 2.1 only)</p>	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> • A user is able to turn off, adjust, or extend the time limit.
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> • For any moving, blinking or scrolling information, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and for any auto-updating information, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> • A mechanism is available to bypass blocks of content that are repeated on multiple web pages.
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> • [Docs] PDF Document - Attended Reporting 2023-03-03T1451 is not compliant.
<p><u>2.4.3 Focus Order</u> (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> • The collapse note button does not preserve focus order when activated. When a user presses the button, they expect the note to collapse. Instead, it looks like the graph is refreshed instead. • The Cancel button does not preserve focus order. When a user tabs through the top of the window, they expect to tab to Cancel after the Explore From Here link. It instead goes to the Save button and the user cannot tab to the Cancel button. • Tabbing through the Visualization tab does not preserve focus order. The tab order skips to Edit, goes back to Forecast, then tabs to Edit again. • The add visualization window does not preserve focus order. A user is able to tab out of the window to hidden content. The user should only be able to access this content if they have exited the add visualization window. • Activating Automation Hub - Components does not preserve focus order. When the visual focus is on this item, the user expects to open the item. Instead, the Add button from Custom fields is activated. • Exiting out of the Explore Actions menu and other menus does not preserve focus order. A keyboard user is unable to tab past or back out of the menu, so they press escape to exit the menu and it exits the entire window.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> Focus does not remain within the pop up window that is revealed when a link within a data table is selected.
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context.
<p>2.5.1 Pointer Gestures (Level A 2.1 only)</p>	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>2.5.2 Pointer Cancellation (Level A 2.1 only)</p>	Web: Supports	<ul style="list-style-type: none"> All functionality that can be operated using a single pointer either has no down event, the ability to abort or undo, up reversal, or is essential.
<p>2.5.3 Label in Name (Level A 2.1 only)</p>	Web: Partially Supports	<ul style="list-style-type: none"> In Processes page of UiPath Templates, the accessible name does not contain visible label for the edit field present within "Folder" button and "Tenant" button. The time zone dropdown menu does not have an accessible name. The name should match the visible label. The top row of filter buttons do not have an accessible name. Each button currently reads the selected choice instead of the name of the button. The name should match the visible label. The dropdown and edit fields in the Alerts window do not have accessible names. The names should match the visual label. The close buttons in the add visualization window do not have accessible names. The button currently reads, "button" on NVDA because the name appears to contain an unrecognizable character. The name should be "close" or something similar. The dropdown menus under the filter buttons do not have accessible names. The name should match the visible label. The document element under Execution Data does not have an accessible name. The Start Date, Robot Type*, and Folder form fields do not contain descriptive accessible names. The combo box that spawns when the Tenant drop down menu is expanded does not have an accessible name. The form elements Date, Folder, Tenant, and Process Name do not have accessible names.
<p>2.5.4 Motion Actuation (Level A 2.1 only)</p>	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> [Docs] PDF Document - Attended Reporting 2023-03-03T1451 is not compliant.
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> When any component receives focus, it does not initiate a change of context.

Criteria	Conformance Level	Remarks and Explanations
3.2.2 On Input (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> When the Tenant drop down field is expanded and a user selects checkboxes to filter the page content, no change to the page occurs.
3.3.1 Error Identification (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.
3.3.2 Labels or Instructions (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> Labels and instructions are not provided for the edit heading field. There is no visible label, and there are no instructions stating that the field is required and the requirements for filling out the field. The threshold and operator fields do not have a visible label. There should be a label for threshold and operator. The “any value” edit field that appears when the Tenant drop down menu is expanded does not have a visible label.
4.1.1 Parsing (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.
4.1.2 Name, Role, Value (Level A) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> In Processes page of UiPath Templates, the selected state of options within “Date > Presets”, “Folder” and “Tenant” is not read by screen reader. [Docs] PDF Document - Attended Reporting 2023-03-03T1451 is not compliant.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
1.3.4 Orientation (Level AA 2.1 only)	Web: Partially Supports	<ul style="list-style-type: none"> [Docs] PDF Document - Attended Reporting 2023-03-03T1451 is not compliant.

Criteria	Conformance Level	Remarks and Explanations
1.3.5 Identify Input Purpose (Level AA 2.1 only)	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
1.4.3 Contrast (Minimum) (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> In Processes page of UiPath Templates, the button text - "Presets" present within "Date" field lacks 4.5:1 contrast ratio requirement on hover and on focus. In Processes page of UiPath Templates, the text - "DefaultTenant.ActionCenterWorkflows" present within "Folder" field lacks 4.5:1 contrast ratio requirement. In Processes page of UiPath Templates, the text - "Presets" present within "Date" field lacks 4.5:1 contrast ratio requirement. The text in the search bar does not have sufficient contrast. The grey text (#ADB1B9) on the dark grey background (#5A6273) has a color contrast ratio of 2.847:1. Text in the Total Utilization (hours) in UiPath Templates>Robots window does not have sufficient contrast. Text in the Save Alert button in UiPath Templates>Robots>Alerts does not have sufficient contrast when focused and unfocused. The email field in the alerts window does not have sufficient contrast. The blue text (#358BE5) on light blue background (#EBF4FF) has a color contrast ratio of 3.165:1. Some texts within widgets and graphs in Automation Hub Idea Applications section have insufficient color contrast. The text in the left side menu does not have sufficient contrast. The grey text (#ABAEB2) on dark blue background (#475063) has a color contrast ratio of 3.632:1. The buttons "Explore" and "Download" use light blue text (#5FADFF) on a white background (when unhovered) which has a 2.35:1 contrast ratio. When hovered/focused upon, the background gets light blue (#E8F3FF) and has a 2.57:1 contrast. The Start Date form field uses light blue text (#4FA5FF) on a light blue background (#EBF4FF) which has a contrast ratio of 2.31:1. The text of the values added is light blue (#58A9FF) on light blue (#EBF4FF) which has a contrast ratio of 2.21:1. When the Presets or Custom button is selected, the text becomes light blue (#4DA3FF) on light blue (#E8F3FF) which has a contrast ratio of 2.3:1. The Edit Dashboard button (unfocused) uses white text (FFFFFF) on a light blue background (#3B9AFF) which has a contrast ratio of 2.9:1. Upon focus, the background becomes light blue (#52A6FF) with a 2.5:1 contrast ratio. The blue (#178BCA) and gold (#C97903) text under the Total Utilization (hour) subcategory both fail. Blue on white has a contrast ratio of 3.8:1 and gold on white has a contrast ratio of 3.4:1.
1.4.4 Resize text (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	Web: Partially Supports	<ul style="list-style-type: none"> Content is lost when text is resized to 200%. Text becomes obscured.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> Text is used to convey information rather than images of text except for when a particular presentation of text is essential.
<p>1.4.10 Reflow (Level AA 2.1 only)</p>	Web: Does Not Support	<ul style="list-style-type: none"> When the screen size is zoomed up to 400%, content does not reflow without loss of functionality or content.
<p>1.4.11 Non-text Contrast (Level AA 2.1 only)</p>	Web: Partially Supports	<ul style="list-style-type: none"> In Processes page of UiPath Templates, the checkboxes present within Folder, Tenant and Process Name fields lack minimum contrast requirement of 3:1 In Processes page of UiPath Templates, the focus indicator of “Date > Presets” options, “Folder” options and “Tenant” options lack minimum contrast requirement of 3:1. In Processes page of UiPath Templates, the delete icon (X) present within the Folder and Tenant fields lack minimum contrast requirement of 3:1. In Processes page of UiPath Templates, the checkboxes (in their checked state) present within Folder, Tenant and Process Name fields lack minimum contrast requirement of 3:1. The focus shading for menu options, checkboxes, and some buttons has insufficient color contrast. The grey foreground (#EFF0F0) on white background (#FFFFFF) has a color contrast ratio of 1.141:1. The focus shading for the checkboxes in UiPath Templates>Robots has insufficient color contrast when they have focus. The focus indicator for the top row of filters in UiPath Templates>Robots/Automation ROI has insufficient color contrast. The color contrast of a checked checkbox in UiPath Templates>Robots does not meet the color contrast standard when focused and unfocused. The focus shading for the reload, hide filters, and dashboard actions buttons has insufficient color contrast. The grey foreground (#E7EAEC) on light grey background (#F6F8FA) has a color contrast ratio of 1.135:1. The dropdown menu options in UiPath Templates>Robots>Alerts have insufficient color contrast when focused and selected. The refresh button has insufficient color contrast when focused. They grey foreground (#70767C) on blue background (#4094EE) has a color contrast ratio of 1.463:1. The focus shading for the cancel button has insufficient color contrast. The grey foreground (#ECEDEE) on white background (#FFFFFF) has a color contrast ratio of 1.172:1. The focus shading for the buttons in the left side menu (Add Visualization screen) has insufficient color contrast. The focus shading for buttons on the top right has insufficient contrast. This also applies to all 3 dot menus in the UI. The grey foreground (#ECEDEE) on

Criteria	Conformance Level	Remarks and Explanations
		<p>white background (#FFFFFF) has a contrast ratio of 1.172:1.</p> <ul style="list-style-type: none"> The focus shading for the Clear Field 'X' button has insufficient contrast. The blue-grey foreground (#D0DEEE) on light blue background (#DFEEFF) has a contrast ratio of 1.159:1. When the Tenant drop down menu is expanded and a checkbox is selected, the checkbox uses white (#FFFFFF) on light blue (#3B9AFF) which has a contrast ratio of 2.89:1.
1.4.12 Text Spacing (Level AA 2.1 only)	Web: Supports	<ul style="list-style-type: none"> Text spacing does not result in loss of content or functionality.
1.4.13 Content on Hover or Focus (Level AA 2.1 only)	Web: Supports	<ul style="list-style-type: none"> When receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the additional content is dismissable, hoverable, and persistent.
2.4.5 Multiple Ways (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> More than one way is available to locate a web page within a set of web pages except where the web Page is the result of, or a step in, a process.
2.4.6 Headings and Labels (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> In Processes page of UiPath Templates, the screen reader is not reading the descriptive label for the buttons - Date, Folder, Tenant and Process Name.
2.4.7 Focus Visible (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> The collaborator email options do not have an indication of focus. I would suggest a colored border as the focus indicator. The save button has no indication of focus. This can be achieved by a focus border.
3.1.2 Language of Parts (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<ul style="list-style-type: none"> Globally, the language of parts of a page that differ from main page language do not have lang attributes. Note: There is no technical way to control or determine what values are inputted in the fields by various users, therefore there is no method available to make such language parts programmatically determinable.
3.2.3 Consistent Navigation (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> Navigational mechanisms that are repeated on multiple web pages within a set of web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.
3.2.4 Consistent Identification (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> Components that have the same functionality within a set of web pages are identified consistently.
3.3.3 Error Suggestion (Level AA) Also applies to: Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 	Web: Supports	<ul style="list-style-type: none"> If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p> <p>Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>4.1.3 Status Messages (Level AA 2.1 only)</p>	Web: Supports	<ul style="list-style-type: none"> In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.

Table 3: Success Criteria, Level AAA

Notes: The product has not been evaluated for WCAG 2.1 Level AAA conformance.

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, .4.1, 2.1.1, 2.4.2, 2.4.3, 2.4.6, 3.1.1, 3.1.2, 3.2.2, 4.1.2
302.2 With Limited Vision	Partially Supports	See WCAG: 1.3.1, 1.4.3, 1.4.4, 2.1.1, 2.4.3, 2.4.7, 3.1.2, 3.3.2, 4.1.2
302.3 Without Perception of Color	Partially Supports	See WCAG: 1.4.3
302.4 Without Hearing	Supports	
302.5 With Limited Hearing	Supports	
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Partially Supports	See WCAG: 2.1.1, 2.4.3, 2.4.7, 4.1.2
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	See WCAG: 1.3.1, 2.1.1, 2.4.3, 3.3.2

Chapter 4: Hardware

Notes: The product is a web/software application and is not subject to the requirements of this section.

Chapter 5: Software

Notes: The product is a web application and is not subject to the requirements of this section.

Chapter 6: Support Documentation and Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
<u>602 Support Documentation</u>	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
602.2 Accessibility and Compatibility Features	Supports	UiPath provides electronic versions of all product support documentation, offering all users information on how to install and use each product. If needed, end-users with diverse abilities can request additional product support documentation by contacting: accessibility@uipath.com .
602.3 Electronic Support Documentation	<i>See WCAG 2.x section</i>	<i>See information in WCAG 2.x section.</i>

Criteria	Conformance Level	Remarks and Explanations
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	All necessary documentation for the product is provided electronically.
<u>603 Support Services</u>	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
603.2 Information on Accessibility and Compatibility Features	Supports	End-users with diverse abilities can request additional information about UiPath products by contacting: accessibility@uipath.com .
603.3 Accommodation of Communication Needs	Not Evaluated	The flows of opening support tickets via Customer Portal and via our website have not yet been tested against accessibility requirements. UiPath customers can reach out for assistance with conformance documentation and accessibility support via accessibility@uipath.com .

Legal Disclaimer (Company)

These results reflect sample accessibility testing for a set of critical user paths. Not every element was evaluated for accessibility.