

# UiPath Studio Web Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT® Version 2.4Rev)



#### Name of Product/Version: UiPath Studio Web December 2023

Report Date: December 8, 2023

**Product Description:** UiPath Studio Web enables users to build and test cross-platform automations across online business apps and services.

Contact Information: Contact sales: https://www.uipath.com/company/contact-us

**Notes:** Specific user scenarios were tested to ensure critical user paths were included in the VPAT. All application content was not tested, but rather a crucial sampling of content was used for test cases.

#### **Evaluation Methods Used:**

Manual assessment was performed using Chrome/NVDA on windows 10.

The following testing tools were used on a Windows 10 desktop: Accessibility Insights for Windows v1.1, Color Contrast Analyzer, NVDA v2020.1, and external keyboard, Automated testing tools included the Deque aXe browser extension.

#### Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 Report	(Yes)

#### **Terms**

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG
   2.0 Level AAA.

### WCAG 2.1 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 602.3 Electronic Support Documentation

Notes: When reporting on conformance with the WCAG 2.1 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.1 Conformance Requirements.



# **Table 1: Success Criteria, Level A**

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content Also applies to: Revised Section 508	Web: Partially Supports	<ul> <li>Alternative text of activity icon does not include all the essential text of the image.</li> <li>Templates tab - Text alternative does not present same info as image.</li> <li>Connections tab - Text alternative does not present same info as image</li> <li>Projects tab - Text alternative is missing</li> <li>Automation's tab (Search widget) - In "Search for automations by keyword" combo box, when we add some search keyword - we get a remove keyword (x icon). This x icon does not have alternate text.</li> <li>Decorative images are announced by the screen reader</li> </ul>
1.2.1 Audio-only and Video-only (Prerecorded) (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Not Applicable	The criterion is not relevant to the product.
1.2.2 Captions (Prerecorded) (Level A) Also applies to: Revised Section 508	Web: Not Applicable	The criterion is not relevant to the product.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Not Applicable	The criterion is not relevant to the product.
1.3.1 Info and Relationships (Level A)  Also applies to: Revised Section 508  501 (Web) (Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Partially Supports	<ul> <li>The "See more" menu visually appears and functions like a list but is not marked up as such.</li> <li>Manage properties menu - Element incorrectly announces as a column header for irrelevant table cells.</li> <li>Groups of radio buttons are not associated with the group label.</li> <li>Templates tab - Layout table uses data table structural markup.</li> <li>Data Manager - Group of form controls not associated with group label.</li> <li>Data manager - Text appears and functions like a section heading but is not marked up as such.</li> </ul>
1.3.2 Meaningful Sequence (Level A) Also applies to: Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Use variable menu - The opened tree view widget is not part of the reading order.</li> <li>Disabled fields are hidden to screen readers.</li> <li>Data Manager - Reading order of static content doesn't preserve meaning.</li> <li>Main workflow - The variable treeview section is expandable but not exposing the focused value to the screen readers.</li> <li>Create project - Informative tooltip content is not readable to the screen readers.</li> </ul>



Criteria	Conformance Level	Remarks and Explanations
		<ul> <li>Feedback - Able to browse outside of the modal with screen reader turned on in the browse mode.</li> <li>Assistive technology users will not be aware of the different images of the alerts (breakpoints, configuration alert, etc.) as they are not programmatically determinable and will be ignored by assistive technology.</li> </ul>
1.3.3 Sensory Characteristics (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Not Applicable	The criterion is not relevant to the product.
1.4.1 Use of Color (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Link text is visually differentiated from surrounding body text only by using color.</li> <li>Global - Color is the sole method to identify the focused state of the interactive element.</li> </ul>
1.4.2 Audio Control (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Not Applicable	The criterion is not relevant to the product.
2.1.1 Keyboard (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Partially Supports	<ul> <li>The "Output" tooltip is not keyboard accessible.</li> <li>Unable to access the "Fix the connection" element in the tab key navigation.</li> <li>Variables in the "Manage properties" menu cannot be expanded using a keyboard.</li> <li>Run output - "Copy to clipboard" button is not accessible by keyboard.</li> <li>Project explorer - Unable to access the treeview content in the tab/arrow key navigation.</li> <li>Data manager - Unable to activate the "See more" buttons with the keyboard.</li> <li>Main workflow - Unable to access the activity variable treeview either with tab/arrow key navigation while a screen reader is active.</li> </ul>
2.1.2 No Keyboard Trap (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	There are no keyboard traps.
2.1.4 Character Key Shortcuts (Level A 2.1 only)	Web: Not Applicable	The criterion is not relevant to the product.
2.2.1 Timing Adjustable (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Partially Supports	Toast notifications content does not remain visible until the user reads the status message.
2.2.2 Pause, Stop, Hide (Level A)  Also applies to: Revised Section 508	Web: Supports	<ul> <li>For any moving, blinking or scrolling information, there is a mechanismfor the user to pause, stop, or hide it unless the movement, blinking, or scrolling is</li> </ul>



Criteria	Conformance Level	Remarks and Explanations
<ul> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		part of an activity where it is essential; and for any auto-updating information, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.
2.3.1 Three Flashes or Below Threshold (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Not Applicable	The criterion is not relevant to the product.
2.4.1 Bypass Blocks (Level A) Also applies to: Revised Section 508	Web: Supports	A mechanism is available to bypass blocks of content that are repeated on multiple web pages.
2.4.2 Page Titled (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Page title does not identify purpose of page for Connectionstab, potentially affecting screen reader users who use page title to quickly determine the purpose of a particular page.</li> </ul>
2.4.3 Focus Order (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Partially Supports	<ul> <li>The focus order within the activity card variables list is not logical.</li> <li>Project Explorer - Keyboard focus is lost or misplaced due to user interaction or content update.</li> <li>Main workflow - The focus order between Subject and Body form fields is not logical.</li> </ul>
2.4.4 Link Purpose (In Context) (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context.
2.5.1 Pointer Gestures (Level A 2.1 only)	Web: Not Applicable	The criterion is not relevant to the product.
2.5.2 Pointer Cancellation (Level A 2.1 only)	Web: Supports	All functionality that can be operated using a single pointer either has no down event, the ability to abort or undo, up reversal, or is essential.
2.5.3 Label in Name (Level A 2.1 only)	Web: Partially Supports	<ul> <li>Project explorer - Multiple items in the tree view are missing accessible names</li> <li>Watches tab - The accessible name of the text field for "Type an expression and hit enterto add a watch." should be part of the accessible name</li> <li>Main workflow - Multiple fields in an activity are lacking accessible names.</li> <li>Add the connection purpose modal - The visible label "Add the purpose for the connection" is not part of the accessible name of the text field.</li> <li>Main workflow - The variable tree view lacks an accessible name.</li> </ul>
2.5.4 Motion Actuation (Level A 2.1 only)	Web: Not Applicable	The criterion is not relevant to the product.



Criteria	Conformance Level	Remarks and Explanations
3.1.1 Language of Page (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	The default human language of each web page can be programmatically determined.
3.2.1 On Focus (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	When any component receives focus, it does not initiate a change of context.
3.2.2 On Input (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.
3.3.1 Error Identification (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.
3.3.2 Labels or Instructions (Level A) Also applies to: Revised Section 508	Web: Partially Supports	<ul> <li>The variable search field inside the activity card lacks a visible label.</li> <li>The purpose of the activity name field is not clear to screen reader users.</li> <li>Create argument modal and Create variable modal - Form field is not labeled</li> <li>Main workflow - No visual label is present for the folder name field.</li> <li>Add activity modal - The "Search" label will disappear when the user tries to enter some text in the form field.</li> <li>Project explorer - The purpose of the "Folder name" form field is not clear without a programmatically associated visible label.</li> </ul>
4.1.1 Parsing (Level A)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Templates tab - Interactive elements are nested inside a button.</li> <li>Runs tab - There are multiple static elements with the same id attribute.</li> <li>Projects tab - Interactive controls are nested inside the project cards.</li> <li>Main workflow - "To" form field element from Projects tab cannot be parsed and announced by third party assistive technologies, including screen readers;</li> </ul>
4.1.2 Name, Role, Value (Level A) Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Does Not Support	<ul> <li>Tooltip content is not communicated to the screen reader users.</li> <li>Multiple controls inside the activities are marked with aria-hidden, although should be visible to screen readers.</li> <li>Invalid ARIA attribute value is used in the Zoom activity card.</li> <li>Variable menu treeview structure and its level information is not properly exposed to screen readers.</li> </ul>



Criteria	Conformance Level	Remarks and Explanations
Criteria	Conformance Level	<ul> <li>The role and expand/collapse state of the element inside the "Manage properties" modal is not communicated to the screen reader.</li> <li>Variable tree view element has two roles.</li> <li>Data Manager - Expand/collapse state of the element is missing or incorrect.</li> <li>Screen reader is not reading the label for the fields. This impacts screen reader users in understanding the purpose of the control.</li> <li>Right panel - Open run output - The menu has a submenu feature that is not exposed to screen reader users.</li> <li>Screen reader is not reading the selected state for dropdown options that are in selected state.</li> <li>Data Manager - Form field is not labeled.</li> <li>Project Explorer -File system navigator is missing appropriate roles and/or attributes.</li> <li>Run output - A combobox is missing an accessible name.</li> <li>Project explorer - The purpose of a form field is not clear without a programmatic label.</li> <li>Projects tab - Tooltip content is not read by screen readers.</li> <li>Templates tab - The pressed state of the List view or Card view button is not conveyed to the screen reader.</li> <li>Main workflow - The expand/collapse state of a toggle-type element is used incorrectly.</li> <li>Data manager - Interactive controls are nested.</li> <li>Automations tab - Selected state of options in "Items per page" combobox is not conveyed to screen readers.</li> <li>Data manager - The treeview role and its substructure are not communicated to the screen readers.</li> <li>Share projectmodal - Combo box role and its states are not announced to screen readers.</li> <li>Main workflow - The "Attachments" field tooltip content is not accessible to screen readers.</li> <li>Connector Builder and mail chimp buttons in the recently used activity section and all the items in the browse by category are missing the role of button.</li> <li>Create argument modal - Invalid ARIA attribute value is used: aria-owns="ui-tiptap-editor-2" and aria-owns="ui-tiptap-editor-2" and aria-owns="ui-tiptap-edit</li></ul>



Criteria	Conformance Level	Remarks and Explanations
		<ul> <li>Projects tab - The name of the element is not exposed to screen readers.</li> <li>Run output tab - The "Clear" button lacks an accessible name.</li> <li>Run output - The "Search" field lacks an accessible name.</li> <li>Add activity modal - The "Search for an activity" combo box does not have an accessible name.</li> <li>Main workflow - The variable treeview role and its substructure are not communicated to the screen reader users.</li> <li>Automations tab - The "Search" combo box lacks an accessible name.</li> <li>Watches tab - The expanded/collapsed status is not communicated to screen readers.</li> <li>Automations tab - The "Search bar" component uses ARIA elements that are not allowed.</li> <li>Project explorer - Active state of the "Pan mode" button is not exposed to screen reader users.</li> <li>Data manager - Invalid ARIA attributes are used on several components.</li> <li>Add activity modal - "Browse by category" label is not associated with the activities in the grid.</li> <li>Combo box role and its states are failed to expose to the screen reader users.</li> </ul>

## Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)  Also applies to: Revised Section 508  501 (Web) (Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Not Applicable	The criterion is not relevant to the product.
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: Revised Section 508	Web: Not Applicable	The criterion is not relevant to the product.
1.3.4 Orientation (Level AA 2.1 only)	Web: Supports	<ul> <li>Content does not restrict its viewand operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.</li> </ul>
1.3.5 Identify Input Purpose (Level AA 2.1 only)	Web: Not Applicable	The criterion is not relevant to the product.
1.4.3 Contrast (Minimum) (Level AA) Also applies to: Revised Section 508	Web: Partially Supports	<ul> <li>"Output" text icon lacks a contrast ratio of at least 4.5 to 1 with the background.</li> <li>Runs tab - The contrast ratio between text - "Empty" and its background is not at least 4.5:1.</li> <li>Run output tab - Regular text lacks a contrast ratio of at least 4.5 to 1 with the background.</li> <li>Runs tab - The contrast ratio between text - "Play recording" and its background is not at least 4.5:1.</li> </ul>



Criteria	Conformance Level	Remarks and Explanations
		<ul> <li>Main workflow - The placeholder text of the "Attachments" field lacks a contrast ratio of at least 4.5 to 1 with the background.</li> <li>Open run output - Regular text lacks a contrast ratio of at least 4.5 to 1 with the background.</li> <li>Automations tab - The contrast ratio between the link text and its background is not at least 4.5:1 on focus.</li> <li>Watches - Color contrast of the text is not a minimum of 4.5:1.</li> <li>The contrast ratio between text for week days - "S M T W T F S" in calendarand its background does not meet the minimum ratio of 4.5:1</li> <li>The placeholder text within the New project form fields use light grey text on a white background resulting in a insufficient contrast ratio of 3.0:1. If the Name* form field turns red due to an error the contrast ratio changes to 1.9:1.</li> </ul>
1.4.4 Resize text (Level AA) Also applies to: Revised Section 508	Web: Does Not Support	Global - Content is lost at 200% zoom
Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	<ul> <li>Text is used to convey information rather than images of text except for when a particular presentation of text is essential.</li> </ul>
1.4.10 Reflow (Level AA 2.1 only)	Web: Does Not Support	<ul> <li>When the screen size is zoomed up to 400%, content does not reflow without loss of functionality or content.</li> </ul>
1.4.11 Non-text Contrast (Level AA 2.1 only)	Web: Does Not Support	<ul> <li>Global - The focus indicator color lacks contrast of 3 to 1 with the adjacent background when the user tab through the element.</li> <li>Project explorer - "Apply" and "Abort" icons have a contrast of less than 3:1.</li> <li>A graphic icon that confirms a URL has been copied lacks contrast of 3 to 1 with the adjacent background.</li> <li>Automations tab - The focused state of the "Items per page" combobox options do not have at least a 3 to 1 contrast ratio with adjacent background.</li> <li>Runs tab - "Adjust column width handle icon" does not have a contrast ratio of 3 to 1 against adjacent color.</li> <li>Header bar - Focused state of the "Submit as template" and "share" does not have minimum color contrast of 3:1</li> <li>Main workflow - The "Add activity" icon has a contrast of only 1.4:1 with its grey background.</li> <li>Automations tab - "Adjust column width handle icon" does not have a contrast ratio of 3 to 1 against adjacent color.</li> <li>Projects tab - The column expand icon has a contrast of only 1.2:1 with its white background.</li> <li>The Add Activity button when it does not have keyboard focus or is not hovered over with a mouse, is white on a light green background which has a low contrast ratio of 2.1:1.</li> </ul>



Criteria	Conformance Level	Remarks and Explanations
1.4.12 Text Spacing (Level AA 2.1 only)	Web: Partially Supports	<ul> <li>Publish automation modal - When text spacing is applied through bookmarklet, content in the workspace is cut off</li> </ul>
1.4.13 Content on Hover or Focus (Level AA 2.1 only)	Web: Does not Support	<ul> <li>Global - Tooltips are not hoverable</li> <li>Global - Tooltips cannot be dismissed with the 'Esc' key</li> </ul>
2.4.5 Multiple Ways (Level AA)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	More than one way is available to locate a web page within a set of web pages except where the web Page is the result of, or a step in, a process.
2.4.6 Headings and Labels (Level AA)  Also applies to: Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)	Web: Partially Supports	<ul> <li>Multiple activity buttons are not programmatically linked to their label and have the same accessible name.</li> <li>Project Explorer - Buttons have the same programmatic name but perform different actions.</li> <li>Automations tab - Multiple "Run" and "See more" buttons have the same name and are not associated with the row headers.</li> <li>Data manager - Multiple buttons have the same name, but are not associated to the row headers.</li> <li>Templates tab - Multiple 'More options' buttons have the same accessible name, but are not associated programmatically with the row header.</li> <li>Main workflow - Multiple buttons have the same accessible name and are not associated with the row headers.</li> <li>Watches - All the "Remove" buttons have the same accessible name but perform different actions to remove different watches.</li> </ul>
2.4.7 Focus Visible (Level AA)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Partially Supports	<ul> <li>The focus indicator is missing when focusing through activity section headers.</li> <li>The visual focus indicator is missing altogether for the calendar day, month and year that are in selected state.</li> <li>Main workflow - The focus indicator is missing when the user tabs through the elements.</li> </ul>
3.1.2 Language of Parts (Level AA)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Partially Supports	Globally, the language of parts of a page that differ from main page language do not have lang attributes. Note: There is no technical way to control or determine what values are inputted in the fields by various users, therefore there is no method available to make such language parts programmatically determinable.
3.2.3 Consistent Navigation (Level AA)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Supports	Navigational mechanisms that are repeated on multiple web pages within a set of web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.
3.2.4 Consistent Identification (Level AA) Also applies to:	Web: Supports	<ul> <li>Components that have the same functionality within a set of web pages are identified consistently.</li> </ul>



Criteria	Conformance Level	Remarks and Explanations
Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)		
3.3.3 Error Suggestion (Level AA) Also applies to: Revised Section 508	Web: Supports	<ul> <li>If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.</li> </ul>
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)  Also applies to: Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Web: Not Applicable	The criterion is not relevant to the product.
4.1.3 Status Messages (Level AA 2.1 only)	Web: Partially Supports	<ul> <li>Manage properties menu - Status messages are not automatically announced by the screen reader.</li> <li>Search results are not communicated to the screen reader.</li> <li>Status messages are not automatically announced by the screen reader.</li> <li>Project explorer - Status messages are not being announced automatically to the screen reader users.</li> <li>Status messages are not being announced automatically by the screen reader.</li> <li>Toast notifications are not being announced automatically by screen readers.</li> <li>Add activity modal - "No results" status message is not automatically announced to the screen readers.</li> <li>Watches - The status messages "Loading" and "No Suggestions" are not announced to the screen readers.</li> <li>Create project modal - Screen readers do not announce the error message information.</li> <li>Create Project modal - The loading state is not communicated to the screen readers.</li> <li>Feedback modal - Status message that the feedback is being submitted is not announced by the screen readers.</li> <li>"No automations published" or "No results" messages are displayed after searching and no results are available. These status messages are not announced by the screen reader.</li> </ul>

# **Table 3: Success Criteria, Level AAA**

Notes: The product has not been evaluated for WCAG 2.1 Level AAA conformance.



# **Revised Section 508 Report**

## **Chapter 3: Functional Performance Criteria (FPC)**

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 2.1.1, 2.2.1, 2.4.2, 2.4.3, 2.4.6, 3.1.2, 4.1.1, 4.1.2
302.2 With Limited Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 1.4.3, 1.4.4, 2.1.1, 2.4.3, 2.4.6, 2.4.7, 3.3.2, 4.1.2
302.3 Without Perception of Color	Partially Supports	See WCAG: 1.4.1, 1.4.3
302.4 Without Hearing	Supports	
302.5 With Limited Hearing	Supports	
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Partially Supports	See WCAG: 2.4.3, 2.4.2, 2.4.6, 2.4.7, 2.1.1, 4.1.1, 2.2.1, 4.1.2
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	See WCAG: 1.3.1, 1.3.2, 1.4.1, 2.4.2, 2.4.6, 3.3.2, 2.4.7, 2.1.1, 2.4.3, 4.1.1, 2.2.1, 4.1.2

### **Chapter 4: Hardware**

Notes: The product is a web/software application and is not subject to the requirements of this section.

### Chapter 5: Software

Notes: The product is a web application and is not subject to the requirements of this section.

### **Chapter 6: Support Documentation and Services**

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	UiPath provides electronic versions of all product support documentation, offering all users information on how to install and use each product. If needed, end-users with diverse abilities can request additional product support documentation by contacting: accessibility @uipath.com.



Criteria	Conformance Level	Remarks and Explanations
602.3 Electronic Support Documentation	See WCAG 2.1 section	See information in WCAG 2.1 section.
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	All necessary documentation for the product is provided electronically.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	End-users with diverse abilities can request additional information about UiPath products by contacting: accessibility@uipath.com.
603.3 Accommodation of Communication Needs	Not Evaluated	The flows of opening support tickets via Customer Portal and via our website have not yet been tested against accessibility requirements.  UiPath customers can reach out for assistance with conformance documentation and accessibility support via accessibility @uipath.com.

# **Legal Disclaimer (Company)**

These results reflect sample accessibility testing for a set of critical user paths. Not every element was evaluated for accessibility.