

UiPath Studio™/ StudioX™ and Activities Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT® Version 2.4Rev)



Name of Product/Version: UiPath Studio™/StudioX™ and Activities 2024.10.7

Report Date: December 4th, 2024

Product Description: UiPath Studio is advanced automation software that gives everyone, from business users to advanced RPA developers, the right automation canvas to build great software robots—and organizations the right governance tools to manage them all.

Contact Information: Contact sales: https://www.uipath.com/company/contact-us

Notes: Specific user scenarios were tested to ensure critical user paths were included in the VPAT. All application content was not tested, but rather a crucial sampling of content was used for test cases.

Evaluation Methods Used: Software Test Process for WCAG 2.2 AA was used (based on Trusted Tester v5, WCAG 2.0 AA, WCAG 2.1 A-AA, WCAG 2.2 and Section 508 Software testing).

The following testing tools were used on a Windows 10 desktop and Chrome Browser: Accessibility Insights for Windows v1.1, Color Contrast Analyzer, NVDA v2024.1, Axe® accessibility testing tools: axe Auditor and the axe DEvTools browser extension and external keyboard.

Testing was performed by Certified Professional in Accessibility Core Competencies from Deque and by certified Trusted Testers (v5) from New Editions Consulting, Inc.

Testing was performed by certified Trusted Testers (v5) from New Editions Consulting, Inc.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 Report	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- Supports: The functionality of the product has at least one method that meets the criterion without known
 defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.



• **Not Evaluated**: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 602.3 Electronic Support Documentation

Notes: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content Also applies to: ■ Revised Section 508 □ 501 (Web)(Software) □ 504.2 (Authoring Tool) □ 602.3 (Support Docs) ■ EN 301 549	Software: Supports	Text alternatives are provided for all non-text content.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
1.2.2 Captions (Prerecorded) (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: • Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) • EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
1.3.1 Info and Relationships (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	 The list markup is missing for elements, in the 'File Menu' dropdown. [Exported Docs] Blank lines, tabs or spaces are used for structure and the reading and navigation order is not intuitive. [Framework limitation] Visual headings (Language, Theme, Telemetry, Reset Settings) are not programmed as headings. Settings > General and Global.



Criteria	Conformance Level	Remarks and Explanations
		 The dropdown combo box does not have an accessible name. The form fields and combo boxes in the Properties tab have inaccessible names. The radio button in the survey component does not have an accessible name. The date/time text field does not have an accessible name. Dropdown menus in the component options window do not have an accessible name.
1.3.2 Meaningful Sequence (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	 Run All in view button submenu unavailable content is not screen reader accessible in "Test Explorer window" screen. "click to see activity" submenu content disable options are not screen reader accessible in the "Sequence window" screen. Unavailable options of the "Activity options" submenu are not readable to screen reader users in the "Activity options menu" screen. [Exported Docs] Blank lines, tabs or spaces are used for structure and the reading and navigation order is not intuitive. [Taxonomy Manager] The entire window for Taxonomy Manager is not read by the screen reader.
1.3.3 Sensory Characteristics (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
1.4.1 Use of Color (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	 Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.
1.4.2 Audio Control (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
2.1.1 Keyboard (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	 The buttons are not keyboard accessible in the 'Invoke workflow properties' screen. All the tooltips use device-dependent event handlers in the 'Invoke workflow properties' screen. [Mobile automation] The Move Point functionality in the Mobile Automation Draw Pattern to move points in a different order is not keyboard accessible. [Mobile automation] There are some actions that require a user to navigate the phone (in which the phone is not keyboard accessible) in order to edit a text field.



Criteria	Conformance Level	Remarks and Explanations
		 [Mobile automation] The interactive mobile device onscreen cannot be accessed with a keyboard only. [Form builder] Blue boxes in the form builder cannot be accessed via keyboard. [Form builder] The majority of the interactive elements in the Form Designer screen are not keyboard accessible. [Form builder] In order to add an activity, a mouse must be used and a drag and drop functionality is required. There is no way to add a form component using keyboard only. [Form builder] "The majority of the interactive elements in the Callout Designer screen are not keyboard accessible.
2.1.2 No Keyboard Trap (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	There are no keyboard traps.
2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: • EN 301 549	Software: Supports	 Keyboard shortcuts implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters allow the shortcuts to be turned off, remapped, or are active only on focus.
2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
2.4.1 Bypass Blocks (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	A mechanism is available to bypass blocks of content that are repeated on multiple web pages.



Criteria	Conformance Level	Remarks and Explanations
2.4.2 Page Titled (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	Pages have titles that describe topic or purpose.
2.4.3 Focus Order (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	 Auto-hide button activation results in focus lost in the "Test Explorer window" screen. The focus is not placed on the triggering element in the 'File Menu' dropdown. Breakpoints and bookmarks buttons focus lost to the filter button in the "Breakpoints & Bookmarks" screen.
2.4.4 Link Purpose (In Context) (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context.
2.5.1 Pointer Gestures (Level A 2.1 only) Also applies to: • EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: • EN 301 549	Software: Supports	 All functionality that can be operated using a single pointer either has no down event, the ability to abort or undo, up reversal, or is essential.
2.5.3 Label in Name Also applies to: EN 301 549	Software: Partially Supports	 [WPF limitation] Using the "Insert+Tab" screen reader shortcut won't announce the accessible name of the component, while entering edit mode in the "Import data -Generate with Autopilot" screen. The dropdown combo box does not have an accessible name. The name should match the visible label. The form fields and combo boxes in the Properties tab have inaccessible names. The names of each should match the visible label. The radio button in the survey component does not have an accessible name. The name should match the visible label. The date/time text field does not have an accessible name. The name should match the visible label. Dropdown menus in the component options window do not have an accessible name. The names should match the visible label.
2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: • EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
3.1.1 Language of Page (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	The default human language of each web page can be programmatically determined.



Criteria	Conformance Level	Remarks and Explanations
3.2.1 On Focus (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	 Row1 checkbox automatically checked on focus in the "Import data variation source modal" screen. The form field gets an error immediately when tab focus is received in the 'Invoke workflow properties' screen.
3.2.2 On Input (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.
3.2.6 Consistent Help (Level A 2.2 only) Does not apply to: Revised Section 508 EN 301 549	Software: Supports	There is consistent help across all product pages and screens.
3.3.1 Error Identification (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.
3.3.2 Labels or Instructions (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	The expression editor form field is missing instructions for additional menu items in the "Studio Autopilot expression editor" screen.
4.1.1 Parsing (Level A) Also applies to: ■ Revised Section 508 □ 501 (Web)(Software) □ 504.2 (Authoring Tool) □ 602.3 (Support Docs) ■ EN 301 549	Software: Supports	 In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.
4.1.2 Name, Role, Value (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	 Test case run time treeview content state is incorrectly exposed to screen reader users in the "Test Explorer window" screen. Test Explorer and other buttons' active state is not screen reader accessible in the "Test Explorer window" screen. Test results, Descriptor coverage tabs index count is incorrectly exposed to the screen reader users in the "Test Explorer window" screen. Each cell button in the Autopilot resultant table missing roles in the "Import data Generate with Autopilot" screen. select all rows button pressed state is not exposed in the "Import data variation source modal" screen. [WPF limitation][Test explorer] While entering edit mode for the test case data table there is no accessible name announcement when using the



Criteria	Conformance Level	Remarks and Explanations
		 "report current focused object" shortcut of the screen reader. Type into email treeview element incorrectly announcing collapsed state in the "Synchronize object repository modal" screen. [WPF limitation] Disabled elements cannot be focused or announced by screen readers The button pressed state is not conveyed to the screen reader users in the 'Invoke workflow properties' screen. An incorrect state is exposed to the screen reader users in the 'Invoke workflow properties' screen. The "more actions" submenu content tab widget is missing the role and state in the "Studio Autopilot expression editor" screen. "Use variables" expanded treeview section roles and levels are incorrectly communicated to the screen reader in the "Studio Autopilot expression editor" screen. The auto-hide toggle button pressed state is not conveyed in the "Breakpoints & Bookmarks" screen. File system navigator missing appropriate attributes in "Breakpoints & Bookmarks" button expand/collapse state is missing in the "Breakpoints & Bookmarks" screen. The "Breakpoints & Bookmarks" button expand/collapse state is missing in the "Breakpoints & Bookmarks" screen. The options button announces with tab role which is incorrect in the "Breakpoints & Bookmarks" screen. [Mobile automation] The notifications from the Status menu are not announced to the screen reader. [Exported Docs] Blank lines, tabs or spaces are used for structure and the reading and navigation order is not intuitive.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
1.3.4 Orientation (Level AA 2.1 only) Also applies to: • EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.



Criteria	Conformance Level	Remarks and Explanations
1.3.5 Identify Input Purpose (Level AA 2.1 only) Also applies to: • EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
1.4.3 Contrast (Minimum) (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	 Light gray text (#7D7E7F) on white background (#FFFFFF) used throughout the Coded Workflow editor screen (both in the editor and in the dropdown menus) have insufficient color contrast (4.1:1). The save button in the component options window does not meet color contrast standards. The white foreground (#FFFFFF) on green background (#73A839) has a color contrast ratio of 2.842:1.
1.4.4 Resize text (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	Text can be resized with/without assistive technology up to 200 percent without loss of content or functionality.
1.4.5 Images of Text (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	Text is used to convey information rather than images of text except for when a particular presentation of text is essential.
1.4.10 Reflow (Level AA 2.1 only) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Does not Support	When the screen size is scalled up to 400%, content does not reflow without loss of functionality or content.
1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	The selection indicator lacks color contrast.
1.4.12 Text Spacing (Level AA 2.1 only) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	 "Click to see activity" and other tooltips are not dismissible in the "Sequence window" screen. [Tech limitation for Windows-Legacy projects] The tooltips that appear for all elements in a workflow are not hoverable.



Criteria	Conformance Level	Remarks and Explanations
2.4.5 Multiple Ways (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
2.4.6 Headings and Labels (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	 Menu buttons are provided with the same name in the "Argument field" screen. Browse and select row 0 checkbox names not descriptive in the "Import data variation source modal" screen. A descriptive name is missing for the 'Menu' buttons in the 'Invoke workflow properties' screen. The buttons do not have descriptive labels in the 'Dictionary modal' screen. Multiple expand/collapse buttons are provided with the same name in the "Sequence window" screen. Options Programmatic label does not convey the purpose of control in the "Breakpoints & Bookmarks" screen.
2.4.7 Focus Visible (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.
2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) Does not apply to: Revised Section 508 EN 301 549	Software: Supports	Focus is not obscured throughout the pages and screens of the products, as it meets the minimum contrast level.
2.5.7 Dragging Movements (Level AA 2.2 only) Does not apply to: Revised Section 508 EN 301 549	Software: Supports	For any action that involves dragging, a simple pointer alternative is provided.
2.5.8 Target Size (Minimum) (Level AA 2.2 only) Does not apply to: Revised Section 508 EN 301 549	Software: Supports	Throughout the product the targets meet a minimum size or have sufficient spacing around them.
3.1.2 Language of Parts (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Partially Supports	Globally, the language of parts of a page that differ from main page language do not have lang attributes. Note: There is no technical way to control or determine what values are inputted in the fields by various users, therefore there is no method available to make such language parts programmatically determinable.
3.2.3 Consistent Navigation (Level AA) Also applies to: • Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) • EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.



Criteria	Conformance Level	Remarks and Explanations
3.2.4 Consistent Identification (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
3.3.3 Error Suggestion (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Supports	 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549	Software: Not Applicable	The criterion is not relevant to the product.
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) Does not apply to: • Revised Section 508 • EN 301 549	Software: Supports	Accessible Authentication is supported by the product, users don't need to solve, recall, or transcribe something to log in.
4.1.3 Status Messages (Level AA 2.1 only) Also applies to: • EN 301 549	Software: Partially Supports	The "No items" status message is not screen reader accessible in the "Argument field" screen.

Table 3: Success Criteria, Level AAA

Notes: The product has not been evaluated for WCAG 2.2 Level AAA conformance.



Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 2.1.1, 2.4.3, 2.4.6, 3.1.2, 3.2.1, 4.1.2
302.2 With Limited Vision	Partially Supports	See WCAG: 1.3.1, 1.3.2, 1.4.3, 2.1.1, 2.4.3, 2.4.6, 3.2.1, 3.3.2, 4.1.2
302.3 Without Perception of Color	Partially Supports	See WCAG: 1.4.3
302.4 Without Hearing	Supports	
302.5 With Limited Hearing	Supports	
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Partially Supports	See WCAG: 2.1.1, 2.4.3, 2.4.6, 4.1.2
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	See WCAG: 1.3.1, 1.3.2, 2.1.1, 2.4.6, 4.1.2

Chapter 4: Hardware

Notes: The product is a web/software application and is not subject to the requirements of this section.

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	See WCAG 2.x section	See information in WCAG 2.x section
502.2.2 No Disruption of Accessibility Features	See WCAG 2.x section	See information in WCAG 2.x section
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	See WCAG 2.x section	See information in WCAG 2.x section
502.3.2 Modification of Object Information	See WCAG 2.x section	See information in WCAG 2.x section
502.3.3 Row, Column, and Headers	See WCAG 2.x section	See information in WCAG 2.x section
502.3.4 Values	See WCAG 2.x section	See information in WCAG 2.x section
502.3.5 Modification of Values	See WCAG 2.x section	See information in WCAG 2.x section



Criteria	Conformance Level	Remarks and Explanations
502.3.6 Label Relationships	See WCAG 2.x section	See information in WCAG 2.x section
502.3.7 Hierarchical Relationships	See WCAG 2.x section	See information in WCAG 2.x section
502.3.8 Text	See WCAG 2.x section	See information in WCAG 2.x section
502.3.9 Modification of Text	See WCAG 2.x section	See information in WCAG 2.x section
502.3.10 List of Actions	See WCAG 2.x section	See information in WCAG 2.x section
502.3.11 Actions on Objects	See WCAG 2.x section	See information in WCAG 2.x section
502.3.12 Focus Cursor	See WCAG 2.x section	See information in WCAG 2.x section
502.3.13 Modification of Focus Cursor	See WCAG 2.x section	See information in WCAG 2.x section
502.3.14 Event Notification	See WCAG 2.x section	See information in WCAG 2.x section
502.4 Platform Accessibility Features	See WCAG 2.x section	See information in WCAG 2.x section
503 Applications	Heading cell – no response required	See information in WCAG 2.x section
503.2 User Preferences	See WCAG 2.x section	See information in WCAG 2.x section
503.3 Alternative User Interfaces	See WCAG 2.x section	See information in WCAG 2.x section
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	Not Applicable
503.4.2 Audio Description Controls	Not Applicable	Not Applicable
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	See WCAG 2.x section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	Not Applicable
504.2.2 PDF Export	Not Applicable	Not Applicable
504.3 Prompts	Not Applicable	Not Applicable
504.4 Templates	Not Applicable	Not Applicable

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	UiPath provides electronic versions of all product support documentation, offering all users information on how to install and use each product. If needed, end-users with diverse abilities can request additional product support documentation by contacting: accessibility@uipath.com.
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section.



Criteria	Conformance Level	Remarks and Explanations
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	All necessary documentation for the product is provided electronically.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	End-users with diverse abilities can request additional information about UiPath products by contacting: accessibility@uipath.com.
603.3 Accommodation of Communication Needs	Not Evaluated	The flows of opening support tickets via Customer Portal and via our website have not yet been tested against accessibility requirements. UiPath customers can reach out for assistance with conformance documentation and accessibility support via accessibility@uipath.com.

Legal Disclaimer (Company)

These results reflect sample accessibility testing for a set of critical user paths. Not every element was evaluated for accessibility.