



UiPath Orchestrator Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT® Version 2.5 Rev)

Name of Product/Version: UiPath Orchestrator 2.2510.1

Report Date: December 16, 2025

Product Description: UiPath Orchestrator is a web application that enables users to provision, deploy, trigger, monitor, measure, and track the work of attended and unattended robots.

Contact Information: Contact sales: <https://www.uipath.com/company/contact-us>

Notes: Specific user scenarios were tested to ensure critical user paths were included in the VPAT. All application content was not tested, but rather a crucial sampling of content was used for test cases.

Evaluation Methods Used: Software Test Process for WCAG 2.2 AA was used (based on Trusted Tester v5, WCAG 2.0 AA, WCAG 2.1 A-AA, WCAG 2.2 and Section 508 Software testing).

The following testing tools were used on a Windows 11 desktop and Chrome Browser: Accessibility Insights for Windows v1.1, Color Contrast Analyzer, NVDA v2024.4.2, Axe® accessibility testing tools: axe Auditor and the axe DevTools browser extension and external keyboard.

Testing was performed by Certified Professional in Accessibility Core Competencies from Deque and by certified Trusted Testers (v5) from New Editions Consulting, Inc.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 Report	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 – 602.3 Electronic Support Documentation

Notes: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • Important icon provided with incorrect alternative text in 'Solution management banner' screen. • Logo images are missing appropriate alternative text in the "Add tool modal" screen. • The info icons are missing alternative texts in the "View Docs agent context follow up alpha" screen. • The 'Tick mark icon, i.e., Metadata region' is coded incorrectly as an image, in the "Doc agent trace" screen. • snapshot images missing alternative text in the "Success and Faulted healing agent tab" screen. • Opens in window icon is missing alternative text on the "Unattended Setup" tab screen. • The short text alternative text is missing for the graph images in the 'API audit tab' screen. • Swagger page - Alternative text does not include all the essential text on the image for the Swagger logo. • Decorative image is not marked accordingly.
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.3.1 Info and Relationships</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The 'Properties (Key-value pairs)' group label is not associated with the form fields in majority of the screens similar to the "E2EQueue(Queue) form" screen. • Listbox children are not nested properly in the "Upgrade/Downgrade functionality modal" • The text 'Upgrade / Downgrade solution version' and 'Available package versions' are missing heading markup in the 'Upgrade/Downgrade functionality modal' screen. • The 'General Details' and other texts are not marked up as headings in the "Add Index form" screen. • "Data Source *" and other group label names are not associated with the radio buttons properly in the "Add Index form" screen. • The Tools text is missing heading markup in the "Add MCP server Uipath tab" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • The 'Runtime details' heading is out of order in the "Doc agent Job Details table" screen. • The 'Group by, Agent and Parent process' texts are incorrectly marked up as headings in the "Agents instances" screen. • The 'General Details and Data Settings' is not marked up as a heading in the "General details form" screen. • The 'Root' menu is missing proper child nodes in the "Data source connector form" screen. • The 'Storage Bucket' and 'Connector' radio buttons are not associated with the group label in the "Data source connector form" screen. • The 'Settings' and other elements are not marked up as headings in the "View Docs agent context follow up alpha" screen. • The 'Specify the ingestion technique and save' is not marked up as a heading in the "Add index tutorial" screen. • The heading order is not proper for "View: DocsAgent-Context-Followup-Alpha" text in the "View Docs Agent Context Follow-Up Alpha" screen. • The 'Agent' and 'Parent process' checkboxes are not associated with the group label in the "Agents instances" screen. • The 'Live Instances Timeline' and other texts are not marked up with the headings in the "Agents instances" screen. • InvoicePosting job details heading order is not logical in the "Faulted job details" screen. • 'Submit invoice' text missing heading markup in the "Success and Faulted healing agent tab" screen. • Actions and Folder management text is not marked as a heading in the 'Orchestrator - contextual menu' screen. • Add a new role group radio buttons form fields are missing grouping in the "Add new role- Add new" screen. • The name form field error message is relayed in color on the "Add new role- Add new" screen. • The text 'Allocate dynamically' is missing heading markup in the "Edit time trigger" screen. • The machine tab panel has children which are not allowed (role=tabpanel) on the "Machine template machine tab" screen. • The elements "My Workspace", "Pipelines", etc. are missing a nested list mark up in the "Folder tree views" screen. • Group of menu item elements "Copy folder path", "Add", etc. are not associated with group label in the "Folder tree views" screen. • Event Trigger row data is not correctly associated with respective column headers in the "User configuration" screen. • Event Trigger row data is marked as separate table data in the "User configuration" screen. • Package explorer - The filter buttons in the upper right row do not have accessible names. The names read the current numbers, but only the tooltips show the titles Added, Modified, and Deleted. • Package explorer - The checkboxes for comparing versions do not have accessible names. • Package explorer - The copy buttons in the Properties window do not have accessible names.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> Maintenance window menu - Screen reader users might not be able to identify the individual controls' purpose without a group label. Add cloud robot VM - Certain ARIA roles are used incorrectly. [This is a limitation coming from the Angular component] Software update settings - Radio button groups are lacking a programmatic label.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> aria-hidden="true" is used incorrectly for the '1.2 and 3' number texts in the "Orchestrator runtime arguments" screen. 1,2,3,4, etc numbered text is not readable in the "Environment configuration edit field" screen The reading order of the feedback form is not logical in the "Feedback Form" screen. While navigating through the wizard steps, content from the parent page remains readable to the screen reader users in the "Add index tutorial" screen. aria-hidden is incorrectly provided for the numbering text in the "Display raw data form" screen. The hidden content 'dialog Switching organizations and Windows Credentials item (selected) 4 out of 4' are read by the screen reader on the "Unattended Setup" tab screen. aria-hidden incorrectly used for the info image in the "Machine-creation success screen" screen. Content in the Explore package window is not recognized by AT.
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Only color is used for the focus indicator color. There is no 3:1 contrast ratio between the default color and focus indicator color for the combo box field in majority of the screens similar to the "E2EQueue(Queue) form" screen. Only color is used to identify the errors for the deployment and other form fields in the "Deploy solution version modal". The "Robot Service Username" and "Image file link" edit fields from the "Add custom image" screen rely on color only to identify errors. Swagger page - Color alone is used to identify the focused state of the element. The focused state relied on color change for the "Folder id" form field in the "User configuration" screen. Account, group, or external app and Filter by combo boxes focus indicator used color alone to visually convey the state of control in the "Check roles modal" screen. The 'Add files' link text doesn't meet the contrast ratio with the surrounding text in the "Add Index form" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> The colored icons in the tooltip content rely solely on color to convey information in the “Agent Instances” screen. The ‘Interval: 1 month’ and ‘Agent: All’ lacks 3:1 from default to focus state in the “Agents instances” screen. The ‘Last seen’ and ‘Platform units’ do not meet the required contrast ratio default to the focused state lacks a 3:1 in the “Agents instances” screen. The error message “The field is required” relies solely on color on the “Machine Template Machine Tab” screen. Color alone is used to identify error(s) for “Name” field in the “New folder modal” screen. Folder ID form field error used color as the sole method to identify errors in the “User configuration” screen. The filter buttons in the Explore package window use color as the only visual means of conveying information.
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The mentioned above tooltips are not keyboard accessible to the screen reader users in majority of the screens similar to the “E2EQueue(Queue) form” screen. The elements are not keyboard accessible in the ‘Available package versions’ section in the ‘Upgrade/Downgrade functionality modal’ screen. The ‘Add files or drop files to upload’ is not keyboard accessible in the “Add Index form” screen. The ‘Include files from all subfolders.....’ tooltip uses device-dependent event handlers in the “Add Index form” screen. The ‘Expand/collapse’ icon is not keyboard accessible, and event handlers are used in the “Orchestrator runtime arguments” screen. The ‘Alt + F1’ is not working as expected in the “Orchestrator runtime arguments” screen. The ‘View documentation’ is not keyboard accessible in the “Add Index form” screen. The environment configuration tooltip uses device-dependent event handlers in the “MCP server Command tab” screen. The Refresh button is not functional in the “Add MCP server UiPath tab” screen. The ‘Down arrow’ icon uses device-dependent event handlers in the “Display raw data form” screen. The ‘File’ icon uses device-dependent event handlers in the “Data source connector form” screen. The ‘Pending’ and other checkboxes are not accessible with the keyboard in the “View Docs agent context follow up alpha” screen. The ‘File’ icon is not keyboard accessible in the “Data source connector form” screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> The tooltip content “21 days ago” uses device-dependent event handlers in the “Docs agent Logs” screen. The expanded section of ‘System Prompt’ is not keyboard accessible in the “View Docs agent context follow up alpha” screen. The Resize Separator is not accessible with the keyboard in the “View Docs agent context follow up alpha” screen. The tooltip content ‘4/24/2025, 9:24:21 AM’ and other elements use device-dependent event handlers in the “Agent Instances” screen. The “More Actions” menu button in the ‘Orchestrator - Contextual Menu’ screen is dependent on device-specific event handlers. The Credential Store form field is not keyboard accessible on the “Unattended Setup” tab screen. Data table column checkboxes tooltips uses device dependent event handlers in the “Add new role- Add new” screen. The ‘close’ button is not keyboard accessible on the “Unattended Setup” tab screen. Clear buttons are not keyboard accessible in the “Machine template machine tab” screen. Tooltips use device-dependent event handlers in the “Folder tree views” screen. The bar graphs and draggable controls are not keyboard accessible in the ‘API audit tab’ screen. The tooltip content uses device-dependent event handlers in the ‘API audit tab’ screen. Swagger logo - Unable to access the element in the tab key navigation. Package explorer - Several elements are inaccessible, including the back button, X button, the Properties table, and the main content. When a user enters the Explore package window, only the Compare button is accessible. The “Robot Service Username i icon tooltip” from the “Add custom image” screen is not accessible to keyboard users.
<p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> A keyboard trap is there in the code editor field in the “Orchestrator runtime arguments” screen. The focus is trapped within the Environment Configuration edit field in the “Environment configuration edit field” screen. Package explorer - Pressing “Next” once takes the focus to the main content; however, tabbing through the entire content will create a trap not allowing navigation to the main content.
<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Does not Support	<ul style="list-style-type: none"> Alert information is not visible in the “Faulted job details” screen. The “File format is not supported” alert does not remain visible until dismissed in the “Add new role: Import” screen. Copied to clipboard! does not remain visible until dismissed in the “Machine-creation success screen” screen.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • For any moving, blinking or scrolling information, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and for any auto-updating information, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • A mechanism is available to bypass blocks of content that are repeated on multiple web pages.
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • Web pages have titles that describe topic or purpose.
<p><u>2.4.3 Focus Order</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • Hidden side navigation elements are receiving focus in the “Add MCP server UiPath tab” screen. • Keyboard focus is lost at the ‘Root’ section in the “Data source connector form” screen. • The focus order of the feedback form is not logical in the “Feedback Form” screen. • The focus is not returned to the trigger position in the “Feedback Form” screen. • Alert information focus order is not logical in the “Faulted job details” screen. • Left side section, cancel and breadcrumb region focus order is not logical on the “Machine template machine tab” screen. • Left-side navigation content receives focus even when these are hidden on the screen in the “Machine template machine tab” screen. • Left side section and main screen elements focus order is not logical in the “Manage machines in folder” screen. • Close and navigation region elements focus order is not logical in the “User configuration” screen. • Hidden content is focusable to the screen reader. • Global - Hidden content is focusable to the screen reader users. • Global - The left navigation bar is part of the focus order when collapsed.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The programmatic name same but different destinations for the 'View API' link in the 'API audit tab' screen.
<p>2.5.1 Pointer Gestures (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p>2.5.2 Pointer Cancellation (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • All functionality that can be operated using a single pointer either has no down event, the ability to abort or undo, up reversal, or is essential.
<p>2.5.3 Label in Name (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The 'Description (edited)' input field's visible label is not in the accessible name because the label is not associated with the control in the "Gender form" screen. • The accessible name of the 'Package version' field has interspersed words in the "TP_AllTypes" screen. • The 'Frequency' and other combo boxes are missing the accessible names in the "Add Index form" screen. • The environment configuration edit field visible label is not associated with the form field in the "MCP server Command tab" screen. • The accessible name and visible label of the "Creation Time: All" combo box do not match in the "View Docs agent context follow up alpha" screen. • The accessible name and visible label of the "Time: All" combo box do not match in the "Docs Agent Logs" screen. • Select faulty activity combobox accessible name does not contain visible label in the "Success and Faulted healing agent tab" screen. • click to add file or drop file button name does not contain a visible label in the "Add new role: Import" screen. • The 'Password' field does not have an accessible name because the label is not associated with the form field on the "Unattended Setup" tab screen. • The 'Additional roles' form field and other form fields does not have an accessible name because the label is not associated with the form fields in the "Unattended setup tab" screen. • The options of the Process name combo box accessible name and visible do not match in the "Edit time trigger" screen. • The Execute the process spin button does not have an accessible name because the label is not associated with the spin button in the "Edit time trigger" screen. • Swagger menu - The Servers combo box lacks an accessible name. • Package explorer - The filter buttons in the upper right row do not have accessible names. The names read the current numbers, but only the tooltips show the titles Added, Modified, and Deleted. • Package explorer - The checkboxes for comparing versions do not have accessible names. • Package explorer - The copy buttons in the Properties window do not have accessible names.

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.4 Motion Actuation (Level A 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>3.1.1 Language of Page (Level A) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> The default human language of each web page can be programmatically determined.
<p>3.2.1 On Focus (Level A) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> When any component receives focus, it does not initiate a change of context.
<p>3.2.2 On Input (Level A) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.
<p>3.2.6 Consistent Help (Level A 2.2 only) Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Supports	<ul style="list-style-type: none"> There is consistent help across all product pages and screens.
<p>3.3.1 Error Identification (Level A) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Name form field error message is not described in text in the "Add new role- Add new" screen. Input error is not described in text for "Name" field in the "New folder modal" screen. The text-based error message is not provided for the folder ID form field in the "User configuration" screen. The "Robot Service Username" and "Image file link" edit fields from the "Add custom image" screen do not have errors described in the text.
<p>3.3.2 Labels or Instructions (Level A) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The drag instruction is missing for the draggable header control in the 'Publish and Deployment History' screen. The input field is not provided with persistent visible label in "Solution Explorer" screen. The input combo box is missing a visible label in the "Orchestrator runtime arguments" screen. Instructions are unavailable for keyboard-only users in the "Orchestrator runtime arguments" screen. Navigation instructions (e.g., "Use arrow keys to move between bars") are missing for the "Agents with most errors" graph in the "Agent Instances" screen. The "Select All" checkbox is missing a visible label in the "View Docs Agent Context Follow-Up Alpha" screen. The 'Share your experience or offer suggestions' label is not persistent in the "Feedback form" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> The “Separator” instructions are incorrectly marked up and are difficult to understand in the “View Docs Agent Context Follow-Up Alpha” screen. Select all checkbox missing visible label in the “Access rules: Users” screen. The visible label is missing for the ‘Hours and Minutes’ for the form fields in the “Edit time trigger” screen. “Select all checkbox” is missing visible labels in the “Manage machines in folder” screen. The ‘Select all’ checkbox is missing a visible label in the ‘View transactions table data’ screen.
<p>3.3.7 Redundant Help (Level A 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Software: Supports	<ul style="list-style-type: none"> Multi-step processes are easy to complete.
<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.
<p>4.1.2 Name, Role, Value (Level A)</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Does not Support	<ul style="list-style-type: none"> Missing Accessible Names Affects: Buttons, Combo boxes, Icons, Links, Form fields, Charts/Graphs, Drag controls, Tabs, Image close buttons Multiple elements lack descriptive names needed for screen reader identification Missing or Incorrect Roles Affects: Buttons, Checkboxes, Icons, Links, Tabs, Modals/Dialogs, Tables, Treeview, Charts, Drag controls, Breadcrumbs Elements not assigned proper ARIA roles or using wrong role values Missing or Incorrect States Affects: Checkboxes, Combo boxes, Tabs, Tables, Accordion elements States like disabled, selected, expanded/collapsed, or pressed not conveyed to screen readers Content Not Exposed to Screen Readers Affects: Tooltips, Shortcut keys Informational content (dates, timestamps, validation messages, configuration tips) hidden from assistive technology Invalid ARIA Usage Affects: Multiple screens role="generic" used incorrectly role="application" used inappropriately Invalid ARIA role values Unsupported ARIA attributes on charts aria-hidden misapplied on interactive elements Incorrect Element Nesting/Structure Affects: Checkboxes, Buttons Controls nested inside other interactive elements incorrectly Incorrect Announcements Affects: Grids/Tables, Combo boxes

Criteria	Conformance Level	Remarks and Explanations
		Grid announcing wrong row counts List options announced incorrectly

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>1.3.4 Orientation (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.
<p>1.3.5 Identify Input Purpose (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> “Please make sure app(s) are activated by clicking on this link.” text doesn’t meet the contrast ratio of 4.5:1 in the “Activate deployment” screen The contrast ratio between placeholder text and its background is not at least 4.5:1 in the “Gender form” screen. Swagger page - Multiple text elements lack a contrast ratio of at least 4.5 to 1 with the background. The ‘File upload will be available once you select a storage bucket as your data source.’ text doesn’t meet the contrast ratio of 4.5:1 in the “Add Index form” screen. Blank process and other text color lacks 4.5:1 in the “Add tool modal” screen. Blankprocess and other text color lacks 4.5:1 on hover in the “Add tool modal” screen.
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> components treeview section content is lost when the page size is zoomed to 200% in the ‘Component screen’. The content in the main section of the page is not available at 200% zoom of the page in the “Landing page of a new project” screen. The components and checkboxes region is completely lost when the page size is adjusted to 200% in the “Building your solution” screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> The content in the main section of the page is not available at 200% zoom of the page in the “Solution Explorer” screen. The content available at 100% zoom is clipped of at 200% zoom in “Deploy Solution version modal” screen. Add MCP server text is lost at 200% zoom in the “Add MCP server Uipath tab” screen. The Add tools tab’s content is lost at 200% zoom in the “Add tool modal” screen. The ‘Export’ button and other elements are not available when the page is zoomed to 200% zoom in the “Docs Agent Logs” screen. The ‘Advanced is multi-modal.....’ content is partially cut off and ‘Done’ control is lost when the page is zoomed to 200% zoom in the “Add index tutorial” screen. The Share your experience or offer suggestion’ edit field and other elements are not available when the page is zoomed to 200% zoom in the “Feedback form” screen. The content is obscured while applying 200% zoom in the ‘Selected spike details modal’ screen. Some of the text and video controls are not available/obscured while applying 200% zoom in the “Video timeline tab’ screen. Check roles modal accordion data lost when the page zoomed to 200% in the “Check roles modal” screen.
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Text is used to convey information rather than images of text except for when a particular presentation of text is essential.
<p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Does Not Support	<ul style="list-style-type: none"> When the screen size is zoomed up to 400%, content does not reflow without loss of functionality or content.
<p>1.4.11 Non-text Contrast (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The sort icon does not have a contrast ratio of at least 3:1 with the adjacent background in the “Gender form” screen. The adjacent panel separator active hit area lacks a 3:1 contrast ratio in the ‘Component screen’. The environment configuration boundary lacks 3:1 in the “MCP server Command tab” screen. The Activities options focus indicator lacks 3:1 in the “Add tool modal” screen. The Coded, command, and Remote tabs’ focus indicator lacks 3:1 in the “Add MCP server Uipath tab” screen. The ‘Settings’ and other elements focus indicator color lacks a contrast ratio of 3:1 in the “View Docs agent context follow up alpha” screen. The “Dotted lines” and other objects don’t meet the required contrast ratio of 3:1 in the “Agent Instances” screen. The separator boundary does not meet the required contrast ratio of 3:1 with the inner/outer background in the “Doc Agent Job Details Table” screen. The ‘Separator draggable line’ visual boundary color lacks 3:1 in the “Doc agent trace” screen

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> The 'Separator' boundary color doesn't meet the required contrast ratio of 3:1 in the "View Docs agent context follow up alpha" screen. The Target and Anchor tabs' active state color lacks 3:1 in the "Success and Faulted healing agent tab" screen. The graphical object color does not meet 3:1 contrast ratio in the 'API audit tab' screen. The 'Draggable timeline selector' icon does not meet 3:1 contrast ratio in the 'API audit tab' screen. The seek slider color does not meet 3:1 contrast ratio with the background color in the "Video timeline tab' screen.
<p>1.4.12 Text Spacing (Level AA 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Some text (Eg: All, Personal automation: All) is cut off while text spacing applies in the 'Manage Access' screen. Check roles modal content text cut-off observed, when text spacing settings are adjusted in the "Check roles modal" screen. The letters are not adjusted for the menu items while applying the text spacing bookmark in the "Video timeline tab' screen.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Does not Support	<ul style="list-style-type: none"> Tooltips are not hoverable using a mouse.
<p>2.4.5 Multiple Ways (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> More than one way is available to locate a web page within a set of web pages except where the web Page is the result of, or a step in, a process.
<p>2.4.6 Headings and Labels (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Close buttons have same name but different actions in the "Solution bucket form" screen. Expand and collapse buttons are missing descriptive names in the "Added MCP server details" screen. The "Details and More Actions" buttons have the same label names but perform different actions in the "View Docs agent context follow up alpha" screen. 'Hours and Minutes field' do not have descriptive labels in the "Edit time trigger" screen. The times spin button does not have a descriptive name in the "Edit time trigger" screen. Clear buttons are missing appropriate names in the "Machine template machine tab" screen. Buttons "Delete client secret" have the same name but different actions in the "Authentication details" screen. The select row checkbox name is incorrect on the "Manage machines in folder" screen.
<p>2.4.7 Focus Visible (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	Web: Partially Supports	<ul style="list-style-type: none"> readonly 'Output edit field' is missing the focus indicator in the "Orchestrator runtime arguments" screen. The Preview URL form field is missing a focus indicator in the "Add MCP server UiPath tab" screen.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ○ 602.3 (Support Docs) ● EN 301 549 		<ul style="list-style-type: none"> ● The Activities scrollable section is missing a focus indicator in the “Add tool modal” screen. ● The “UiPath expose UiPath artifacts” tab is missing a focus indicator in the “Add MCP server UiPath tab” screen. ● Focus indicator is missing on “APPS_Sol_Folder”, “Apps”, etc. elements in the “Folder tree views” screen. ● Swagger page - The focus indicator is missing when the user focuses on the “Select a definition” field. ● The focus indicator is missing when the user tabs through the Cloud VM maintenance window components.
<p><u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> ● Revised Section 508 ● EN 301 549 	Web: Supports	<ul style="list-style-type: none"> ● Focus is not obscured throughout the pages and screens of the products, as it meets the minimum contrast level.
<p><u>2.5.7 Dragging Movements</u> (Level AA 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> ● Revised Section 508 ● EN 301 549 	Web: Does not Support	<ul style="list-style-type: none"> ● The draggable control ‘Drag this handle to resize the adjacent panels’ does not have single-pointer, single-touch functionality in the “Deploy solutions AppsBundle left navigation” screen. ● The draggable column header does not have an alternative single point/touch option on the ‘Validation Errors’ screen ● The Draggable header control does not have single-pointer, single-touch functionality in the ‘Publish and Deployment History’ screen. ● Resize column headers use a dragging movement and do not have a single-pointer alternative in the “Added MCP server details” screen. ● Resizable separator uses dragging movement with no alternative in the “View Docs agent context follow up alpha” screen. ● The separator uses a dragging movement with no alternative in the “Doc agent trace “ screen ● Resizable control requires a dragging movement with no alternative in the “Faulted job details” screen. ● The ‘Draggable’ control for the headers does not have single-pointer, single-touch functionality in the “Access rules: Users” screen. ● The ‘Draggable’ control does not have single-pointer, single-touch functionality in the “Edit time trigger” screen. ● The ‘Draggable’ control for the headers does not have single-pointer, single-touch functionality in the “Time trigger” screen. ● The manage machine data table column header resize feature requires a dragging movement with no alternative in the “Manage machines in folder” screen. ● The ‘Drag this handle to resize the adjacent panel’ control does not have single-pointer, single-touch functionality in the “Video timeline tab’ screen. ● The ‘Draggable’ control for the headers does not have single-pointer, single-touch functionality in the ‘View transactions table data’ screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> The 'Drag this handle to resize the adjacent panel' control does not have single-pointer, single-touch functionality in the "Video timeline tab" screen. The 'Draggable timeline selector' control does not have single-pointer, single-touch functionality in the 'API audit tab' screen.
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only) Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Throughout the product the targets meet a minimum size or have sufficient spacing around them.
<p>3.1.2 Language of Parts (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Globally, the language of parts of a page that differ from main page language do not have lang attributes. Note: There is no technical way to control or determine what values are inputted in the fields by various users, therefore there is no method available to make such language parts programmatically determinable.
<p>3.2.3 Consistent Navigation (Level AA) Also applies to: Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> Navigational mechanisms that are repeated on multiple web pages within a set of web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.
<p>3.2.4 Consistent Identification (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Components that have the same functionality within a set of web pages are identified consistently.
<p>3.3.3 Error Suggestion (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Accessible Authentication is supported by the product, users don't need to solve, recall, or transcribe something to log in.
<p>4.1.3 Status Messages (Level AA 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The 'No options' is not announced to the screen reader users in the "Add Index form" screen. The 'Loading indicator' is not announced to the screen reader users in the "Add Index form" screen. The 'Fail upload failed.' and other elements are not announced to the screen reader users in the "Add Index form" screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • “URL successfully copied” status message is not automatically announced in the “Add MCP server UiPath tab” screen. • “An unexpected error occurred.” status message is not automatically announced in the “Added MCP server details” screen. • “No results found” and “No connections found” status messages are not automatically announced in the “Add tool modal” screen. • No results found status message is not exposed to the screen reader users in the “MCP server coded” screen. • The ‘Loading indicator’ is not announced to the screen reader users in the “Data source connector form” screen. • The ‘No Options’ text is not announced to the screen reader users in the “General details form” screen. • The ‘Loading’ indicator is not announced to the screen reader users in the “Agents instances” screen. • The “Exported data is ready for download” status message is not screen reader accessible in the “Faulted job details” screen. • The filter count status message is not announced to screen reader users in the “Access rules: Users” screen. • ‘The interval must be at least one minute long’ error message and all other messages are not announced to the screen reader users in the “Edit time trigger” screen. • The field is required and other error messages are not screen reader accessible in the “Machine template machine tab” screen. • The “Copied to clipboard!” status message is not screen reader accessible in the “Machine-creation success screen” screen. • “No folders available” status message is not automatically announced in the “Folder tree views” screen. • “Loading” (busy state) is not automatically announced in the “Folder tree views” screen. • Status messages are not automatically announced by the screen reader.

Table 3: Success Criteria, Level AAA

Notes: The product has not been evaluated for WCAG 2.2 Level AAA conformance.

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 2.1.1, 2.1.2, 2.2.1, 2.4.3, 2.4.4, 2.4.6, 3.3.1, 4.1.2
302.2 With Limited Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 1.4.3, 1.4.4, 2.1.2, 2.2.1, 2.4.3, 2.4.6, 2.4.7, 3.3.1, 3.3.2, 4.1.2
302.3 Without Perception of Color	Partially Supports	See WCAG: 1.4.1, 1.4.3, 3.3.1
302.4 Without Hearing	Partially Supports	See WCAG: 1.1.1
302.5 With Limited Hearing	Partially Supports	See WCAG: 1.1.1
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Partially Supports	See WCAG: 2.1.1, 2.1.2, 2.2.1, 2.4.3, 2.4.6, 2.4.7, 4.1.2
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 2.1.1, 2.4.3, 2.4.6, 2.4.7, 3.3.1, 3.3.2, 4.1.2

Chapter 4: Hardware

Notes: The product is a web/software application and is not subject to the requirements of this section.

Chapter 5: Software

Notes: The product is a web application and is not subject to the requirements of this section.

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
<u>602 Support Documentation</u>	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
602.2 Accessibility and Compatibility Features	Supports	UiPath provides electronic versions of all product support documentation, offering all users information on how to install and use each product. If needed, end-users with diverse abilities can request additional product support documentation by contacting: accessibility@uipath.com .
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section.

Criteria	Conformance Level	Remarks and Explanations
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	All necessary documentation for the product is provided electronically.
<u>603 Support Services</u>	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
603.2 Information on Accessibility and Compatibility Features	Supports	End-users with diverse abilities can request additional information about UiPath products by contacting: accessibility@uipath.com .
603.3 Accommodation of Communication Needs	Not Evaluated	<p>The flows of opening support tickets via Customer Portal and via our website have not yet been tested against accessibility requirements.</p> <p>UiPath customers can reach out for assistance with conformance documentation and accessibility support via accessibility@uipath.com.</p>

Legal Disclaimer (Company)

These results reflect sample accessibility testing for a set of critical user paths. Not every element was evaluated for accessibility.