



UiPath Test Manager Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT® Version 2.5 Rev)

Name of Product/Version: UiPath Test Manager 2.2510.1

Report Date: December 16, 2025

Product Description: UiPath Test Manager is a web application that helps users orchestrate testing activities and test what really matters with AI-powered capabilities for test discovery.

Contact Information: Contact sales: <https://www.uipath.com/company/contact-us>

Notes: Specific user scenarios were tested to ensure critical user paths were included in the VPAT. All application content was not tested, but rather a crucial sampling of content was used for test cases.

Evaluation Methods Used: Software Test Process for WCAG 2.2 AA was used (based on Trusted Tester v5, WCAG 2.0 AA, WCAG 2.1 A-AA, WCAG 2.2 and Section 508 Software testing).

The following testing tools were used on a Windows 11 desktop and Chrome Browser: Accessibility Insights for Windows v1.1, Color Contrast Analyzer, NVDA v2024.4.2, Axe® accessibility testing tools: axe Auditor and the axe DevTools browser extension and external keyboard.

Testing was performed by Certified Professional in Accessibility Core Competencies from Deque and by certified Trusted Testers (v5) from New Editions Consulting, Inc.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 Report	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 – 602.3 Electronic Support Documentation

Notes: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The “Graphs” are missing both short and detailed text alternatives in the “Dry Run and Full execution page” screen. • role=“img” is missing alternative text in the “Create scenario modal” screen. • The ‘Draggable’ buttons are missing text alternatives in the “Dry Run and Full Execution” page. • The close image in the “Create new connection” screen is missing the alt attribute.
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>1.3.1 Info and Relationships</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The ‘Group 1 and No errors’ texts are inappropriately coded as headings in the “Dry Run and Full Execution” page. • The heading levels of the ‘Test Groups’ and other text elements are out of order in the “Dry Run and Full Execution” page. • The group label is incorrectly announced in the “Performance tab” screen. • “Create Scenario” text is missing heading markup in the “Create scenario modal” screen. • The ‘Load groups’ and other texts are not marked up as headings in the “Dry Run and Full execution page” screen. • The ‘Load Profile’ and other checkboxes are not associated with the group label in the “Dry Run and Full Execution” page. • Application components and sub-section heading texts are missing heading markup in the “Heat map” screen. • Search and Analyse tabs does not contain particular children in “Analyze Transports list view” page.
<p><u>1.3.2 Meaningful Sequence</u> (Level A) Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 	Web: Partially Supports	<ul style="list-style-type: none"> • The ‘Infrastructure and Users’ texts are not readable to the screen reader users in the “Dry Run and Full execution page” screen.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) ● EN 301 549 		
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> ● Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) ● EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> ● The criterion is not relevant to the product.
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> ● Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) ● EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> ● The “Colored Bars” use color alone to convey information that is not presented in any other way in the “Performance” tab screen. ● The ‘Selected Group 1 Vs Unselected Group 2’ lacks a contrast ratio of 3:1 in the “Dry Run and Full Execution” page. ● Passed, failed, No test case executed and No test case assigned legend information in heat map uses color alone to convey information in “Heat Map” screen. ● The Results Overview chart uses color only (red, gray, and green) to convey meaning of failed, none, and passed. The results using color only also appear in the table below for Latest Results and are used for Results under Test results.
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> ● Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) ● EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> ● The criterion is not relevant to the product.
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> ● Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) ● EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> ● Some tooltip content uses device-dependent handlers in the “Performance tab” screen. ● Description edit field resize control is keyboard accessible in the “Create scenario modal” screen. ● ‘Resize panel’ icon is not accessible with the keyboard in the “Application Logs” screen. ● Performance test type and other tooltips use device-dependent event handlers in the “Create scenario modal” screen. ● “no description present” tooltip information uses device dependent event handlers in the “Select testcase -testcase” screen. ● The ‘Draggable’ buttons are not accessible to keyboard users in the “Dry Run and Full Execution” page. ● Prompt combobox option tooltip information uses device-dependent event handlers in the “Provide import instructions” screen.
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> ● Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) ● EN 301 549 	Web: Supports	<ul style="list-style-type: none"> ● There are no keyboard traps.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> A user is able to turn off, adjust, or extend the time limit.
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> For any moving, blinking or scrolling information, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and for any auto-updating information, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> A mechanism is available to bypass blocks of content that are repeated on multiple web pages.
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Web pages have titles that describe topic or purpose.
<p><u>2.4.3 Focus Order</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The 3rd column hidden element receives focus with no content in the "Select testcase -testcase" screen. Keyboard focus is lost or placed on the wrong element while activating the "Application Logs" button in the "Application Logs" screen. The "attachment deleted" message is not receiving focus in the "Provide Import document" screen. The list view results content focus order is not logical in the "Testcase List view 1-year data" screen.
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context.

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.1 Pointer Gestures (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>2.5.2 Pointer Cancellation (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Supports	<ul style="list-style-type: none"> All functionality that can be operated using a single pointer either has no down event, the ability to abort or undo, up reversal, or is essential.
<p>2.5.3 Label in Name (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The 'Measure by Avg' combo box accessible name and visible label don't match in the "Dry Run and Full Execution" page. 'Group: Group 1 and Level: Information' combo boxes accessible name has interspersed words in the "Application Logs" screen. The select row 1 visible label is not part of the accessible label in the "Select testcase -testcase" screen.
<p>2.5.4 Motion Actuation (Level A 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> The criterion is not relevant to the product.
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> The default human language of each web page can be programmatically determined.
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> When any component receives focus, it does not initiate a change of context.
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.
<p>3.2.6 Consistent Help (Level A 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Supports	<ul style="list-style-type: none"> There is consistent help across all product pages and screens.
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 	Web: Partially Supports	<ul style="list-style-type: none"> Visible label is missing for the 'Select All' checkbox in the "Performance tab" screen.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) ● EN 301 549 		
<p>3.3.7 Redundant Help (Level A 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> ● Revised Section 508 ● EN 301 549 	Software: Supports	<ul style="list-style-type: none"> ● Multi-step processes are easy to complete.
<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> ● Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) ● EN 301 549 	Web: Supports	<ul style="list-style-type: none"> ● In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.
<p>4.1.2 Name, Role, Value (Level A)</p> <ul style="list-style-type: none"> ● Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) ● EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> ● The 'Load group status: 0 Passed / 2 Failed / 0 None' tooltip content is not conveyed to the screen reader users in the "Dry Run and Full Execution" page. ● The 'Loading indicator and progress bars' are missing accessible names in the "Dry Run and Full execution page" screen ● The 'Group 1 and Group 2' sections are nested within interactive controls in the "Dry Run and Full execution page" screen. ● An incorrect role "Group" was provided for the "Graphs" in the "Dry Run and Full execution page" screen. ● 'ARIA' attributes are missing for the 'Resize panel' in the "Application Logs" screen. ● The 'More options' button is missing an expand/collapse state in the "Dry Run and Full Execution" page. ● The 'Application Logs' button is missing an expand/collapse state in the "Application logs" screen. ● Performance test type tooltips are not screen reader accessible in the "Create scenario modal" screen. ● "no description present" tooltip information is screen reader accessible in the "Select testcase -testcase" screen. ● The 'Draggable' buttons are missing both the button role and name in the "Dry Run and Full Execution" page. ● The '11/07/2025 10:23:09 AM' and other tooltip content are not exposed to the screen reader users in the "Performance tab" screen. ● Delete button missing accessible name in the "Provide Import document" screen. ● Application component buttons tooltip content is not accessible to screen readers in the "Heat map" screen.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p>1.2.5 Audio Description (Prerecorded)(Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p>1.3.4 Orientation (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.
<p>1.3.5 Identify Input Purpose (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • ‘Fatal, Warning and Success’ texts lack a contrast ratio of 4.5:1 in the “Application Logs” screen. • ‘(Group 2)’ text lacks contrast ratio of 4.5:1 in the “Application Logs” screen.
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • ‘Success’ text is lost when the page is zoomed to 200% in the “Application Logs” screen. • The ‘More options’ and other elements are not available when the page is zoomed to 200% in the “Dry Run and Full Execution” page. • The package expanded section is clipped when the page size is zoomed to 200% in the “Select Automation” screen. • The content in Test Manager is cropped, hidden, or overlapped when the browser is zoomed to 200%.
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • Text is used to convey information rather than images of text except for when a particular presentation of text is essential.
<p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Does Not Support	<ul style="list-style-type: none"> • When the screen size is zoomed up to 400%, content does not reflow without loss of functionality or content.
<p>1.4.11 Non-text Contrast (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • The “Graph Lines and Horizontal dotted lines’ lacks a contrast ratio of 3:1 in the “Dry Run and Full execution page” screen. • The “Application Logs” button selected state lacks a contrast ratio of 3:1 in the “Application Logs” screen. • The “Progress bar” lacks a contrast ratio of 3:1 in the “Dry Run and Full execution page” screen.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> 'Resize panel' icon lacks a contrast ratio of 3:1 in the "Application Logs" screen.
<p>1.4.12 Text Spacing (Level AA 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> 'Information' text gets cut off when the text spacing is applied in the "Application Logs" screen. The text content in Test Manager is cut off or becomes unreadable when text spacing adjustments are applied. The application component buttons do not adjust correctly when text spacing settings are applied in the "Heat map" screen.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> Application component button's tooltip content does not remain visible until dismissed in the "Heat map" screen.
<p>2.4.5 Multiple Ways (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Supports	<ul style="list-style-type: none"> More than one way is available to locate a web page within a set of web pages except where the web Page is the result of, or a step in, a process.
<p>2.4.6 Headings and Labels (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The "The row is selected" programmatic label does not convey the purpose of the control in the "Select testcase -testcase" screen. The 'More options' button programmatic label doesn't convey the purpose of the control in the "Dry Run and Full Execution" page. The 'Edit' button labels have the same name but different actions in the "Dry Run and Full Execution" page.
<p>2.4.7 Focus Visible (Level AA) Also applies to:</p> <ul style="list-style-type: none"> Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> 'Group: All and Level: All' combo boxes are missing a focus indicator in the "Application Logs" screen.
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Focus is not obscured throughout the pages and screens of the products, as it meets the minimum contrast level.
<p>2.5.7 Dragging Movements (Level AA 2.2 only) Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> The 'Draggable' buttons are missing the dragging functionality in the "Dry Run and Full Execution" page. Description edit field resize control uses a dragging movement with no alternative in the "Create scenario modal" screen. The 'Resize panel' icon is missing the dragging functionality in the "Application logs" page.
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only) Does not apply to:</p> <ul style="list-style-type: none"> Revised Section 508 EN 301 549 	Web: Supports	<ul style="list-style-type: none"> Throughout the product the targets meet a minimum size or have sufficient spacing around them.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.1.2 Language of Parts</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • Globally, the language of parts of a page that differ from main page language do not have lang attributes. Note: There is no technical way to control or determine what values are inputted in the fields by various users, therefore there is no method available to make such language parts programmatically determinable.
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>Revised Section 508</p> <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) 	Web: Supports	<ul style="list-style-type: none"> • Navigational mechanisms that are repeated on multiple web pages within a set of web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • Components that have the same functionality within a set of web pages are identified consistently.
<p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • Revised Section 508 <ul style="list-style-type: none"> ○ 501 (Web)(Software) ○ 504.2 (Authoring Tool) ○ 602.3 (Support Docs) • EN 301 549 	Web: Not Applicable	<ul style="list-style-type: none"> • The criterion is not relevant to the product.
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only)</p> <p>Does not apply to:</p> <ul style="list-style-type: none"> • Revised Section 508 • EN 301 549 	Web: Supports	<ul style="list-style-type: none"> • Accessible Authentication is supported by the product, users don't need to solve, recall, or transcribe something to log in.
<p><u>4.1.3 Status Messages</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 	Web: Partially Supports	<ul style="list-style-type: none"> • "No results.." and other status messages are not automatically announced in the "Select testcase - testcase" screen.

Table 3: Success Criteria, Level AAA

Notes: The product has not been evaluated for WCAG 2.2 Level AAA conformance.

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.3.2, 1.4.1, 2.1.1, 2.4.3, 2.4.6, 4.1.2
302.2 With Limited Vision	Partially Supports	See WCAG: 1.1.1, 1.3.1, 1.4.1, 1.4.3, 1.4.4, 2.1.1, 2.4.3, 2.4.6, 2.4.7, 3.3.2, 4.1.2
302.3 Without Perception of Color	Partially Supports	See WCAG: 1.4.1, 1.4.3
302.4 Without Hearing	Partially Supports	See WCAG: 1.1.1
302.5 With Limited Hearing	Partially Supports	See WCAG: 1.1.1
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Partially Supports	See WCAG: 2.1.1, 2.4.3, 2.4.6, 4.1.2
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	See WCAG: 1.3.1, 1.4.1, 2.1.1, 2.4.3, 4.1.2

Chapter 4: Hardware

Notes: The product is a web/software application and is not subject to the requirements of this section.

Chapter 5: Software

Notes: The product is a web application and is not subject to the requirements of this section.

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
<u>602 Support Documentation</u>	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
602.2 Accessibility and Compatibility Features	Supports	UiPath provides electronic versions of all product support documentation, offering all users information on how to install and use each product. If needed, end-users with diverse abilities can request additional product support documentation by contacting: accessibility@uipath.com .
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section.

Criteria	Conformance Level	Remarks and Explanations
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	All necessary documentation for the product is provided electronically.
<u>603 Support Services</u>	<i>Heading cell – no response required</i>	<i>Heading cell – no response required</i>
603.2 Information on Accessibility and Compatibility Features	Supports	End-users with diverse abilities can request additional information about UiPath products by contacting: accessibility@uipath.com .
603.3 Accommodation of Communication Needs	Not Evaluated	The flows of opening support tickets via Customer Portal and via our website have not yet been tested against accessibility requirements. UiPath customers can reach out for assistance with conformance documentation and accessibility support via accessibility@uipath.com .

Legal Disclaimer (Company)

These results reflect sample accessibility testing for a set of critical user paths. Not every element was evaluated for accessibility.